



*Minutes of*

**12<sup>th</sup> Meeting  
of the  
BALTEX Science Steering Group**

*held at*

Royal Netherlands Meteorological Institute (KNMI)  
De Bilt, The Netherlands  
12 - 14 November 2001

*edited by  
Hans-Jörg Isemer*

**International BALTEX Secretariat**  
Publication No. 22  
April 2002

**International BALTEX Secretariat Publication**  
**ISSN 1681-6471**

International BALTEX Secretariat  
GKSS Forschungszentrum Geesthacht GmbH  
Max-Planck-Straße 1  
D-21502 Geesthacht, Germany  
Phone: +49 4152 87 1661  
Fax: +49 4152 87 1730  
e-mail: [baltex@gkss.de](mailto:baltex@gkss.de), [isemer@gkss.de](mailto:isemer@gkss.de)

## Participants at the 12<sup>th</sup> BALTEX Science Steering Group Meeting



From left to right: A. Omstedt, P. Alenius, S. Hafner, G. Adrian, Z. Kundzewicz, S.-E. Gryning, J. Piechura, M. Alestalo, A. v. Ulden, H. Graßl, C. Simmer, H.-J. Isemer, S. Keevallik, A. Lehmann, D. Jacob, S. Bergström. A. v. Lammeren behind the camera.



## Contents

Section.....	Page
Contents.....	5
Summary of action items .....	7
Introduction .....	11
Item 1: Welcome by the host and the BSSG Chairman .....	11
Item 2: Amendment and approval of the agenda .....	12
Item 3: Approval of minutes of earlier BSSG meetings .....	12
Item 4: Report of the BSSG Chairman .....	12
Item 5: BALTEX special issue of ‘Boreal Environmental Research’ .....	14
Item 6: Analysis of the BALTEX mid-term review .....	15
Item 7: <i>BRIDGE</i> .....	18
Item 8: CEOP .....	20
Item 9: <i>BALNET</i> and the revision of the BALTEX science plan.....	21
Item 10: Composition and size of the BSSG .....	25
Item 11: Working Group reports .....	26
Item 12: Data Centre reports .....	27
Item 13: Reports from countries.....	31
Item 14: Date and place of the next BSSG meeting.....	32
Item 15: Any other business.....	32
Closing of the meeting.....	33
Acronyms and Abbreviations .....	34
Appendix 1: Workshop agenda.....	37
Appendix 2: Workshop presentations abstracts .....	38
Appendix 3: BSSG meeting agenda.....	60
Appendix 4: Meeting participants.....	63
Appendix 5: Minutes of the informal BSSG meeting, held 5 July 2001 .....	66
Appendix 6: BALTEX Mid-term Review Panel Members .....	69
Appendix 7: BALTEX Mid-term Review Document .....	70
Appendix 8: BALTEX Mid-term Review Recommendations Summary .....	75
Appendix 9: CLIWA-NET Summary .....	76
Appendix 10: Report of the BALTEX WG Radar .....	79
Appendix 12: Minutes of the 6 <sup>th</sup> meeting of the BALTEX WG Radar .....	81
Appendix 13: BALTEX Meteorological Data Centre Materials .....	88
Appendix 14: Hydrography Survey Example during <i>BRIDGE</i> .....	94
Appendix 15: BALTEX projects funded in Germany.....	95



## Summary of action items

**Action #1: Hans-Jörg Isemer** to compile information on EU funding proposals with relevance for BALTEX which have been submitted to the EC-FP5 Environment and Sustainable Development Programme on the 15 October 2001 deadline (see item 4 of the agenda).

**Action #2: Hans-Jörg Isemer** to continue steps towards publishing a special journal issue of “Boreal Environmental Research” (BER) based on the 3<sup>rd</sup> Study Conference on BALTEX by addressing all conference authors and requesting manuscripts prepared according to BER requirements to be submitted to the BALTEX Secretariat before 15 January 2002 (see item 5 of the agenda).

**Action #3:** SSG members representing a national Hydro-meteorological Service (**Gerhard Adrian, Mikko Alestalo, Sten Bergström, Petras Korkutis, Piotr Kowalczak, Leif Laursen, Andris Leitass, Ivan Skuratovich, Aad van Ulden, Valery Vuglinsky**) to continue discussions with the General Directors of their Service on the benefits the Service gains from the BALTEX programme, and to remind the General Directors to responding to a related letter sent recently by the BALTEX SSG chairman, Hartmut Graßl (see item 6 of the agenda), if not done already.

**Action #4: Hartmut Graßl** to maintain continuous contacts to Hydro-meteorological Services in Europe at the General Directors level informing them on progress of the BALTEX programme and on the planned future extension of BALTEX objectives, in particular stressing the importance of climate research for weather forecasting purposes and other operational duties of the Services (see item 6 of the agenda).

**Action #5: Hans-Jörg Isemer** to establish a list of those BALTEX-projects and initiatives which are dealing with remote sensing data, as an initial response to suggestions put forward as part of the BALTEX mid-term review with the aim to strengthen the exploitation of remote sensing data in BALTEX (see item 6 of the agenda).

**Action #6: Hartmut Graßl** to suggest concerted model intercomparisons for atmospheric models among GEWEX CSEs, and beyond, to GEWEX and GHP (GEWEX Hydrometeorology Panel) representatives, as a response to suggestions of the BALTEX mid-term review (see item 6 of the agenda).

**Action #7: Anders Omstedt, Andreas Lehmann, Jan Piechura, Pekka Alenius and Hans-Jörg Isemer** to compile a summary on performed actions as part of the *BRIDGE* Ocean Programme (see item 7 of the agenda).

**Action #8: Hans-Jörg Isemer** to take steps towards the regular publishing of a BALTEX Newsletter with the first issue to appear in early 2002 (see item 7 of the agenda).

**Action #9: Hans-Jörg Isemer and Anders Omstedt** to take steps to transform the earlier *BRIDGE Management Group* into a *BRIDGE Evaluation Team* by (i) arranging for the *BRIDGE* Evaluation Team membership, (ii) fine-tuning the objectives of this team, and (iii) initiating steps to meeting these objectives, along the lines suggested by the SSG (see item 7 of the agenda).

**Action #10: Hartmut Graßl** to inform the General Directors of Hydro-meteorological Services on CEOP objectives, CEOP-related activities in BALTEX, CEOP requirements for BALTEX, and mutual benefits for BALTEX and CEOP; in particular stressing the role of the Services in these activities (see item 8 of the agenda).

**Action #11: Hartmut Graßl** to arrange for BALTEX representatives' participation in CEOP working groups at the CEOP SSG and WG levels, and to invite Carl Fortelius and Jürgen Fischer to become members of the CEOP WESP Working Group and CEOP Satellite Working Group, respectively.

**Action #12: Mikko Alestalo, Pekka Alenius together with Gerald Geernaert** (Danish Environmental Research Institute) to organise a BALTEX workshop on "Eutrophication of the Baltic Sea – Causes and possible solutions, impact on water quality, algal blooms and fishery" with the particular objective to integrate potential users (such as HELCOM, fisheries organisations, tourism managers), as has been suggested as part of workpackage 2, task 2.2 of the *BALNET* proposal (see item 9 of the agenda).

**Action #13: Hartmut Graßl** to undertake steps to enhance efficiency of the BALTEX SSG by a balanced number of new members, taking into account the broadened scientific scope envisaged for BALTEX phase 2.

**Action #14: Jarmo Koistinen** (chairman of BALTEX WG on Radar) to inform Hartmut Graßl on burning problems (technical and/or financial, or others) concerning present gaps in the radar coverage needed for BALTEX purposes; and, as an immediate follow-up, **Hartmut Graßl** to write letters to national Services as a measure to start solving the reported Radar problems, whenever possible (see item 11 of the agenda).

**Action #15: Daniela Jacob (chair of BALTEX WG on Water and Energy Cycles)** to constitute the membership and objectives of the BALTEX Working Group on Energy and Water Cycles along the lines suggested by the SSG, and initiate steps towards meeting the objectives (see item 11 of the agenda).

**Action #16: The BALTEX Data Centres and the BALTEX Secretariat (Sabine Haffner, Bengt Carlsson, Daniel Michelson, Pekka Alenius, Hans-Jörg Isemer)** to take steps, as part of the general BALTEX Data Exchange Policy, towards a permanent and effective monitoring of scientific results obtained using BALTEX data by e.g. urging BALTEX data users to submit copies of published BALTEX articles to the Secretariat or Data Centres, as required by the BALTEX data license agreement (see item 12 of the agenda).

**Action #17: Hans-Jörg Isemer** to update the BALTEX Publication Library established at the International BALTEX Secretariat along the lines suggested by the SSG (see item 12 of the agenda).

**Action #18: Hans-Jörg Isemer** to identify long climate records relevant for the Baltic Sea basin and compile information on these data at the Secretariat (see item 12 of the agenda).

**Action #19: Sten Bergström** to provide detailed technical information for users on a 1 degree meteorological data set for the BALTEX region established at SMHI (see item 12 of the agenda).

**Action #20: Anders Omstedt, Andreas Lehmann, Jan Piechura, Pekka Alenius, Jouko Launiainen, Sten Bergström** (i) to take immediate actions for a vitalisation of the BALTEX Oceanographic Data Centre, with the option to install the Data Centre at the Göteborg branch of the Swedish Meteorological and Hydrological Institute (SMHI), (ii) to re-consider and define the objectives of the BALTEX Oceanographic Data Centre including in particular the definition of data types to be stored at the Data Centre (see item 12 of the agenda).

**Action #21: Hans-Jörg Isemer and Clemens Simmer** to investigate whether a dedicated BALTEX Data Centre for satellite data is required for BALTEX and prepare related information for final discussion at the next BALTEX SSG meeting (see item 12 of the agenda).

**Action #22: Hans-Jörg Isemer** to publish a note on the BALTEX projects funded by national German sources (DEKLIM, AFO2000) in the next issue of the BALTEX Newsletter (see item 13 of the agenda).

**Action #23: Sirje Keevallik and Hans-Jörg Isemer** to prepare for the BALTEX SSG meeting No 13 to be held in Tallinn, Estonia, 17 to 19 June 2002.

**Action #24: Hans-Jörg Isemer** (with the support of Sirje Keevallik, selected SSG members and *BALTNET* participants) to prepare for a scientific workshop prior to the BALTEX SSG meeting No 13 with the tentative topics on nutrients, pollutants, metals and eutrophication issues of the Baltic Sea basin, including related management and policy measures.

The summary list of action items was established and approved by the BSSG meeting participants prior to finalising the complete meeting minutes, as follows:

Draft version  
Hans-Jörg Isemer  
28 November 2001

Approved  
Hartmut Graßl  
10 December 2001

Approved by BSSG meeting participants  
10 January 2002



## Introduction

The 12<sup>th</sup> meeting of the BALTEX Science Steering Group (BSSG) was hosted by the Royal Netherlands Meteorological Institute (KNMI) in De Bilt, The Netherlands. Prior to the BSSG meeting a science workshop on “Climate Variability and Change in the Baltic Sea Area” was held at KNMI on 12 November 2001, 14.00 to 18.00 hours. Hartmut Graßl, the chairman of the BSSG opened the BSSG meeting on 13 November 2001 at 9.00 hours. The meeting was closed on Wednesday, 14 November 2001 at noon.

The agenda of the science workshop is given in Appendix 1. Summaries of workshop presentations are collected in Appendix 2. The agenda of the BSSG meeting and the list of BSSG meeting participants including their full addresses may be found in Appendix 3 and Appendix 4, respectively.

The structure of the minutes follows chronologically the items numbered as given in the meeting agenda (see Appendix 3).

### **Item 1: Welcome by the host and the BSSG Chairman**

Reinout Boers, head of the Atmospheric Research Division at KNMI, welcomed the BSSG meeting participant and expressed KNMI's both honour and satisfaction for being the host of this 12<sup>th</sup> BSSG meeting. Although being not located inside the Baltic Sea catchment he expressed KNMI's strong support for the BALTEX research programme the objectives of which are in line with KNMI's interest to continuously improve weather forecast and climate models being used at KNMI for various research and operational purposes. He wished the meeting all success.

Hartmut Graßl, in his capacity as the Chairman of the BSSG opened the meeting and welcomed the BSSG members and participants to this meeting. He firstly expressed his appreciation, also on behalf of the meeting's participants, to Reinout Boers and also to Aad van Ulden, member of the BSSG and former head of KNMI's Atmospheric Research Division, for all the excellent arrangements made for this BSSG meeting. The Chairman also thanked R. Boers and A. van Ulden for hosting and supporting the climate workshop which was held the day before as part of the BSSG meeting. He acknowledged the substantial scientific contributions of KNMI's scientists to the BALTEX programme. In this context the Chairman welcomed André van Lammeren as a participant to the meeting. A. van Lammeren is a lead scientist at KNMI's Atmospheric Research Division and the co-ordinator of the EU-funded project CLIWA-NET (BALTEX cloud liquid water network), which is a major contribution to BALTEX/BRIDGE. The Chairman also welcomed Sirje Keevallik of Estonian Business School at Tallinn, Estonia, who had been invited to attend this meeting for Peeter Karing, who had resigned from his position as Director General of the Estonian Meteorological and Hydrological Institute and also from the BSSG.

The Chairman continued by stressing his view that this BSSG meeting is of particular importance. After more than 8 years of successful research BALTEX is entering into its second phase. The Chairman mentioned the external review which BALTEX has passed at its 3<sup>rd</sup> Study Conference in July 2001 which will have carefully to be considered and analysed by the BSSG. He further mentioned the network funding proposal *BALNET* which has recently been submitted to the 5<sup>th</sup> Framework Programme of the European Commission (EC) for which first ideas of revised objectives for BALTEX Phase 2 had been worked out. Next steps

towards BALTEX Phase 2 need to be determined. In this context the 6<sup>th</sup> Framework Programme of the EC might be of major importance as an important funding source for the entire BALTEX programme. Also, guidance for an adequate exploration of the data material collected during the central BALTEX observational period *BRIDGE*, which is going to be completed in early 2002, will have to be provided by the BSSG. The Chairman finished his short introduction by re-calling BSSG's attention to the upcoming Coordinated Enhanced Observing Period (CEOP) within GEWEX for which BALTEX needs to continue defining and preparing contributions.

## **Item 2: Amendment and approval of the agenda**

The agenda of the meeting was approved with the following additional issues to be discussed under item 15 (other business):

- 1.) Summer school on BALTEX planned in Riga, Latvia (suggested by Mikko Alestalo);
- 2.) BALTEX representation at GHP (GEWEX Hydrometeorology Panel) meetings (suggested by Sten Bergström).

## **Item 3: Approval of minutes of earlier BSSG meetings**

The minutes of the 11<sup>th</sup> BSSG meeting were finally approved. They are published as Report No. 21 of the International BALTEX Secretariat Report Series.

The minutes of the informal BSSG meeting held 5 July 2001 at Mariehamn, Finland, were finally approved. These minutes are included as Appendix 5.

## **Item 4: Report of the BSSG Chairman**

The following noteworthy events since the preceding SSG meeting were noted by the Chairman and discussed by BSSG members. Several of these events (such as the *BRIDGE* activities) are only briefly mentioned here but are discussed in more detail as subject of other items of this meetings.

- 4.1 The 3<sup>rd</sup> Study Conference on BALTEX, held 2 to 6 July 2001 in Mariehamn, Finland, provided an impressive overview on BALTEX results during the preceding three years. The Conference was attended by more than 150 participants from 20 countries. BALTEX results were presented through 93 oral presentations and 43 posters covering all aspects of BALTEX research. The Conference was partially funded by the European Commission (contract EVK2-CT-2001-60003, project BALCON) and several other institutions including the Finnish Meteorological Institute Helsinki (FMI), Finnish Institute of Marine Research Helsinki (FIMR), Max-Planck-Institute for Meteorology Hamburg (MPIfM), Swedish Meteorological and Hydrological Institute Norrköping (SMHI), and GKSS Research Centre Geesthacht (GKSS). The Chairman again thanked all institutions and individuals having provided support for the successful conduction of the Conference. The conference proceedings are available as No. 20

- of the International BALTEX Secretariat Report Series. A special journal issue on selected conference papers is being prepared (see item 5).
- 4.2 Together with the Conference, and largely based on the Conference's presentations, a mid-term review of the entire BALTEX programme was performed by an pre-established evaluation team. Results of this review and actions based on suggestions in this review are discussed in detail under item 6.
  - 4.3 The year 2001 is the second full calendar year of the central BALTEX observation and modelling period *BRIDGE*. Three dedicated enhanced observational periods (EOPs 2, 3 and 4 of *BRIDGE*) were planned for 2001. The discussion on *BRIDGE* was taken up under item 7.
  - 4.4 A group of 37 BALTEX scientists, led by Ehrhard Raschke, published a comprehensive overview article on BALTEX in the Bulletin of the American Meteorological Society (BAMS). The full reference to this article reads: E. Raschke, J. Meywerk, K. Warrach, U. Andrae, S. Bergström, F. Beyrich, F. Bosveld, K. Bumke, C. Fortelius, L.P. Graham, S.-E. Gryning, S. Halldin, L. Hasse, M. Heikinheimo, H.-J. Isemer, D. Jacob, I. Jauja, K.-G. Karlsson, S. Keevallik, J. Koistinen, A. van Lammeren, U. Lass, J. Launiainen, A. Lehmann, B. Liljebladh, M. Lobmeyr, W. Matthäus, T. Mengelkamp, D. B. Michelson, J. Napiórkowski, A. Omstedt, J. Piechura, B. Rockel, F. Rubel, E. Ruprecht, A.-S. Smedman, and A. Stigebrandt, 2001: *BALTEX (Baltic Sea Experiment): A European Contribution to Investigate the Energy and Water Cycle over a Large Drainage Basin*. BAMS, 82 (11), 2389-2413.
  - 4.5 A thematic network proposal *BALNET* was submitted to the European Commission's Fifth Framework Programme (FP5) Energy, Environment and Sustainable Development Programme (EESD) before 15 October 2001. Details of *BALNET* and implications for future actions are described and discussed at item 9. It was further noted that several other funding proposals with relevance for BALTEX were submitted to the same EC-FP5-EESD call deadline of 15 October 2001. In particular, two proposals (MONSAI, co-ordination Sven Halldin, Uppsala University, Sweden; and CID, co-ordination Zbigniew Kundzewicz, Research Centre of Agriculture and Forrest Environment, Poland) were mentioned. The SSG asked **Hans-Jörg Isemer (Action #1)** to compile information on EU funding proposals with relevance for BALTEX which have been submitted to the EC-FP5-EESD on the 15 October 2001 deadline.
  - 4.6 The Chairman continued mentioning the recently confirmed German Climate Research Programme (DEKLIM) funded by the German Research Ministry (BMBF) which includes a sub-programme entirely devoted to BALTEX. The total national German funding allocated to BALTEX-related projects through DEKLIM is distinctly in excess of 10 million Euros for a 3-years period (see also item 13).
  - 4.7 BALTEX has recently strengthened efforts to prepare for contributions to the Coordinated Enhanced Observing Period (CEOP) of the Global Energy and Water Cycle Experiment (GEWEX). In particular confirmations of two national Weather Services in Europe, the German Weather Service (DWD) and the Royal Dutch Weather Service (KNMI), to provide reference site data of one national observing site each (Lindenberg in Germany and Cabauw in the Netherlands) to CEOP were mentioned. More details on CEOP are discussed under item 8.
  - 4.8 With pleasure, the SSG took notice that Anders Omstedt, a founder member of the BSSG, recently accepted a call as research professor in the Department of Earth Sciences - Oceanography, Göteborg University, Göteborg, Sweden. A. Omstedt had been senior oceanographer at the research division of SMHI in Norrköping, Sweden, for several years before he now left for his new position at Göteborg University. His future research topics connected to his new position include geosphere dynamics, especially the Baltic Sea water and mass transport and are hence closely related to the ob-

jectives of the BALTEX research programme. Anders Omstedt is currently also acting as the chairman of the Swedish BALTEX research groups. The BSSG congratulated Anders Omstedt on his new position and expressed appreciation for his year-long significant contributions to BALTEX.

- 4.9 Also, the BSSG congratulated Ehrhard Raschke, the BALTEX SSG's former, now retired, vice-chairman for having recently received the *Georgi Award* of the German Alfred-Wegener-Foundation in recognition of his particular accomplishments in satellite meteorology, cloud-radiation interaction and atmospheric radiative transfer processes studies and *for his initiation and promotion of BALTEX as a GEWEX family member and an international research programme at the European level.*
- 4.10 Finally, the Chairman welcomed Hans-Jörg Isemer, again back in his position as the head of the International BALTEX Secretariat, effective 15 October 2001. H.-J. Isemer had been head of the IBS already during 1994 to 1999, hence, he is well known to the majority of BALTEX groups and individual researchers. The Chairman continued re-calling that Jens Meywerk, the former head of the IBS during 1999 to 2001, left IBS in July 2001 and that the IBS has been vacant for several months since then. The Chairman noted that, in early October 2001, he received an official offer of GKSS Research Centre Geesthacht to maintain the IBS with Hans-Jörg Isemer as head, Silke Köppen as a half-time secretary and an additional scientist to be allocated at the IBS in the nearest future. This offer of GKSS was immediately forwarded to BSSG members and approved. The Chairman pointed out that the present support for the IBS is now entirely and exclusively originating from GKSS budgets. The BSSG welcomed this development again and particular appreciation was given to GKSS's engagement as a substantial support for maintaining the BALTEX infrastructure.

## **Item 5: BALTEX special issue of 'Boreal Environmental Research'**

Hans-Jörg Isemer reviewed earlier plans of the Scientific Organising Committee for the 3<sup>rd</sup> Study Conference on BALTEX to publish a subset of conference presentations in a special issue of the Finnish journal 'Boreal Environmental Research' (BER). Unfortunately, action steps towards publishing a special BALTEX issue have not been undertaken so far. H.-J. Isemer reported on his recent discussion with the editor of BER who still indicated his interest in having a special BALTEX issue of BER published, and who offered a dedicated volume with about 100 pages free of extra print charges with a typical page number of 5 to 8 per individual article. H.-J. Isemer continued to note that immediate action is required because the time, which has already passed since the conference, is already at a critical limit with the danger, that significant conference results might have been published elsewhere.

The BSSG immediately agreed to go for a special BALTEX conference issue despite the unfortunate time delay and discussed two options of further steps: One option would be to directly contact authors of *selected* conference presentations to submit their papers to BER where the selection criteria (i) should provide for a balanced representation of the scientific issues addressed in BALTEX, and (ii) would have in mind the page limitations of BER for a charge-free volume. Such a candidate list has tentatively been set up by H.-J. Isemer with the help of some members of the conference's Scientific Organising Committee. The other option discussed was to invite the authors of *all* conference presentations to submit a paper to BER and thus leaving a selection of publishable papers to the BER-internal review process.

The BSSG decided for the latter option and asked **Hans-Jörg Isemer (Action #2)** to continue steps towards publishing a special journal issue of 'Boreal Environmental Research' (BER)

based on 3<sup>rd</sup> Study Conference on BALTEX presentations by addressing all conference authors and requesting manuscripts prepared according to BER requirements to be submitted to the International BALTEX Secretariat (IBS) before 15 January 2002. The IBS will collect all submitted papers and will forward them in one package to BER in order to support the BER editor in initiating quick steps for the further review process.

## **Item 6: Analysis of the BALTEX mid-term review**

Introducing this item, the Chairman recalled that Members of the BSSG had considered that an independent mid-term review of the BALTEX programme would be helpful to assess BALTEX achievements and support future steering actions for the whole programme. The review was performed by an external Review Panel, consisting of four distinguished scientists, who have not been involved in the BALTEX programme and Mikko Alestalo, member of the BSSG, as a BALTEX-internal Panel member. It was performed during the 3<sup>rd</sup> Study Conference on BALTEX, held at Mariehamn, Åland, Finland between 2 and 6 July 2001, based on the research results presented at the Conference. During the Conference, the Panel held discussions with members of the BSSG, the Secretariat and participating scientists. Following these discussions the Panel met to consolidate its views and presented its findings to the ad-hoc meeting of the BSSG held at the Conference. A review document was provided by the Panel including a list of strengths and weaknesses of BALTEX and a number of suggestions for future actions were formulated. The Panel members are given in Appendix 6, the full review report of the Panel is given as Appendix 7, and a short list of the Panel's recommendations for improvements are summarised in Appendix 8. The latter was part of the handout for this BSSG meeting and will be used here to summarise the BSSG's discussion and actions initiated.

The BSSG generally considered the review as a positive support and confirmation of how BALTEX has developed during recent years and of the results and achievements obtained. The BSSG thanked again the Panel for having conducted the review. The BSSG went on discussing the main 10 recommendations of the Panel (Appendix 8), as follows:

- 6.1 Recommendation #8: *Hydromet Services and all BALTEX institutions to clearly express their past and expected future gains acquired through BALTEX*. This recommendation was unanimously supported by the SSG. It was noted that the national weather services of almost all countries having their territories or part of it in the Baltic Sea catchment (referred to as "BALTEX countries" in the following) are represented in the BSSG, mostly through the heads or senior scientists of the Services' research divisions. The Chairman noted that he had recently written letters to the Director General of all Hydromet Services in the BALTEX countries asking for their views on how BALTEX has contributed - or may better contribute in the future - to solving problems related to energy and water cycle processes with relevance for the Services' operational activities. The Chairman also noted that only a part of the Services addressed had answered so far. The BSSG discussed the involvement of National Services also in the context of the possible extension of BALTEX objectives - in particular climate and climate variability issues as well as pollution problems related to the Baltic Sea and its catchment - as has recently been suggested in the *BALTNET* proposal to the European Commission (see item 9). **Action #3** was given to those BSSG members representing a national Hydro-meteorological Service (**Gerhard Adrian, Mikko Alestalo, Sten Bergström, Petras Korkutis, Piotr Kowalczyk, Leif Laursen, Andris Leitass, Ivan Skuratovich, Aad van Ulden, Valery Vuglinsky**) to

continue discussions with the Director General of their Service on the benefits the Service gains from the BALTEX programme, and to remind the Director General to respond to a related letter sent recently by the BSSG Chairman, if not done already. Members of the BSSG noted in this context that the importance of climate research for weather forecasting purposes, and requirements of the BALTEX science community to National Services (e.g. related to data, infrastructure support, or information on modelling issues) need intensively to be pointed out to National Services. **Hartmut Graßl** took the **Action #4** to maintain continuous contacts to Hydro-meteorological Services in Europe at the Director General level informing them on progress of the BALTEX programme and on the planned future extension of BALTEX objectives, in particular stressing the importance of climate research for weather forecasting purposes and other operational duties of the Services.

- 6.2 Recommendation #6: *Make more quantitative use of remote sensing data*. The BSSG discussed this recommendation controversially. BSSG members noted various BALTEX projects where remote sensing data have been explored and used for e.g. verification and validation purposes with considerable outreach for e.g. model improvement. A rough inspection of the 3<sup>rd</sup> BALTEX Conference proceedings volume yielded more than 30 papers making use of both ground based and air-borne remote sensing systems and products, including for example the BALTRAD precipitation radar network; ground based and space borne GPS data; ground based windprofiler/RASS, SODAR, LIDAR, cloud radar and micro-wave radiometers at various measurement sites; data from NOAA-AMSU, NOAA-AVHRR, ERS-1/2 ATSR and SAR; and the ISCCP products, in particular the DX data set. Also BALTEX studies on future satellite products such as AMSR-E on the planned AQUA satellite, MSG (Meteosat Second Generation) using e.g. the GERB and SEVIRI sensors, and EPS/NOAA have been performed in the recent past. BSSG members noted that remote sensing data are – and have been – frequently used for *validation* purposes. On the other hand, *assimilation* of remote sensing data has not been explored and studied frequently in the BALTEX context and the latter was clearly identified as an area where future concerted action is needed. The BSSG noted, that a comprehensive overview on past and running BALTEX projects exploiting remote sensing data is lacking. The BSSG concluded to give **Action #5** to **Hans-Jörg Isemer** to establish a list of those BALTEX projects and initiatives which are dealing with remote sensing data, as an initial response to suggestions put forward as part of the BALTEX mid-term review with the aim to strengthen the exploitation of remote sensing data in BALTEX.
- 6.3 Recommendation #2: *Extend model intercomparison initiatives to atmospheric and ocean models (such as PILPS for hydrological and land surface models)*; and Recommendation #5: *Strengthen transferability measures (e.g. examine the relevance of BALTEX models for other European and global regions, such as the GEWEX CSEs)*. Both recommendations were supported by the BSSG. It was noted that a model intercomparison for eight regional atmospheric circulation models based on data collected for the BALTEX-PIDCAP (Pilot Study for Intensive Data Collection and Analysis of Precipitation, August to October 1995) has been conducted as part of a BALTEX project funded by the European Commission (NEWBALTIC2, contract ENV4-CT97-0626, see e.g. Jacob et al., 2001, Meteorol. Atmos. Phys. 77, 9-17). The BSSG took the view that further atmospheric model intercomparison studies should incorporate other models being used for example in other GEWEX Continental Scale Experiments (CSE) such as MAGS or GAPP. The GEWEX Hydrometeorology Panel (GHP) level was considered suitable for organising model intercomparison initiatives

among GEWEX CSEs, which would at the same time contribute to transferring models to other regions on the Globe. The Chairman noted in this context that such a model intercomparison and transferability project has recently been suggested at the GHP meeting held in Paris, France, and that the PIDCAP data sets were suggested to form the base for implementing such a study. **Hartmut Graßl** took the **Action #6** to suggest concerted model intercomparisons for atmospheric models among GEWEX CSEs, and beyond, to GEWEX and GHP (GEWEX Hydrometeorology Panel) representatives, as a response to suggestions of the BALTEX mid-term review. A comparison of ocean models (applied in BALTEX to the Baltic Sea and North Sea) was considered a difficult logistical task without having access to specific financial support for such an initiative, as was the case with the NEWBALTIC2 project for the atmospheric model study. Also, ocean models used in BALTEX are relatively few in number with quite different objectives and design, which would make a meaningful intercomparison quite difficult. The BSSG decided to postpone the issue of an ocean model intercomparison.

- 6.4 Recommendation #1: *Identify “core” versus “supporting” projects*. This recommendation recalls the major weakness in BALTEX as identified by the Review Panel (see Appendix 7 for details). The BSSG considered this recommendation in detail and acknowledged the need for keeping BALTEX projects in focus to meeting the basic science objectives of BALTEX. An ad-hoc decision on how to better meet this recommendation was not yet taken. The BSSG members considered BALTEX now being in a transition from phase 1 to phase 2 (as suggested and detailed in the *BALTNET* proposal, see item 9). A re-definition of BALTEX objectives, enlarging the science scope of BALTEX phase 2, will be considered during the year 2002. A division of running and future BALTEX projects into “core” and “supporting” projects, as suggested by the Review Panel, shall be re-considered after the objectives for the second phase of BALTEX will have finally be agreed upon by the BSSG, GHP and GEWEX bodies, and the science community.
- 6.5 Recommendation #3: *Strengthen rapid knowledge exchange between field experiments and the modelling community*. A controversial debate was held on this suggestion. Several BSSG members noted examples where projects within BALTEX were in particular designed to allow for interactions between field experimentalists and modelling groups (such as PEP in BALTEX, and BASIS). It was also noted that the recently started BALTEX projects funded through the German DEKLIM Programme include project clusters (such as BALTIMOS), where both field and modelling studies will be performed in close interaction hopefully providing for an improved rapid feedback mechanisms between field experiments and modelling groups. The BSSG however considered this suggestion to be taken up again in the course of the planned science state-of-the-art review on BALTEX phase 1 (see both items 9 and 11).
- 6.6 Recommendation #4: *Improve data exchange policy (towards unrestricted and comprehensive exchanges within the entire science communities)*. The BSSG considered the data exchange policy as a sensible issue. The general *BALTEX data exchange policy* had to be implemented to protect the interest of data providers for the BALTEX Data Centres. An essential implementation element of this policy is the need for all data users wishing to use those data, which are archived in the BALTEX Data Centres, to be formally endorsed in writing by at least one SSG member and to be subsequently registered at both the International BALTEX Secretariat and at the BALTEX Data Centres. Further releases of BALTEX data to any third party is not allowed. As a con-

sequence, for example, BALTEX data collected into one of the BALTEX Data Centres, may at present not be provided to other Data Centres which operate with a more unrestricted data release policy (such as the Global Runoff Data Centre). While principally stating that a less restricted data exchange, based on WMO Resolution 40, is desired, the BSSG considered it impossible to change the present policy ad-hoc without having negotiated the issue with the data providers involved. It was additionally stressed that other data and data products originating from BALTEX research projects, which are not distributed via BALTEX Data Centres, are endorsed to be freely distributed to users providing that project-internal rules or other protection measures allow to do so. – The BSSG identified a weakness of BALTEX concerning oceanographic data because the BALTEX Oceanographic Data Centre has so far not reached a full data centre status but has mainly dealt with meta data. The discussion on improving the availability of marine data related to the status of the BALTEX Oceanographic Data Centre was held under item 12.

- 6.7 Recommendation #7: *The SSG to identify two or three “big issues” relevant to users.* This recommendation was discussed to considerable extent and depth. As with recommendation #1 the SSG strongly felt that a final decision should be taken after having completed the transition process into the second phase of BALTEX. As a preliminary big issue list the following key words were noted: (i) “severe weather” issues, i.e. extremes with a focus on floods; (ii) “water quality” as relevant for the society, including the Baltic Sea; (iii) validation of ECMWF forecasts on time scales of weeks to seasonal.
- 6.8 Recommendation #9: *Go for EU financial support in FP5 (network) and FP6 (integrated project(s)).* Immediate actions to fully respond to this Panel recommendation had been taken. A FP5 thematic network funding proposal was submitted to the EC-FP5-EESD programme before the 15 October 2001 deadline (see item 9).
- 6.9 Recommendation #10: *Strengthen co-ordination measures (BALTEX Secretariat, project manager, chief scientist).* The recent decision of GKSS Research Centre Geesthacht to fully take over the financial support for the International BALTEX Secretariat (IBS, see item 4) and the implementation of Hans-Jörg Isemer, Silke Köppen and an additional scientist position at the IBS was considered as a very positive response to this Panel recommendation.

## Item 7: **BRIDGE**

*BRIDGE* is the central observational and modelling period in BALTEX, covering the period October 1999 to February 2002. Five Enhanced Observation Periods (EOPs) had been planned within the *BRIDGE* period. See the minutes of the 11<sup>th</sup> BSSG meeting (IBS Report No. 21) for preliminary summaries on the start of *BRIDGE* and EOP1.

Several contributions to *BRIDGE* or to individual EOPs within *BRIDGE* were noted by BSSG members.

Major measurement activities were conducted in the frame of the EC-funded project CLIWA-NET (“BALTEX Cloud Liquid Water Network”; co-ordination André van Lammeren, KNMI; EC-contract EVK2-CT-1999-00007, see also the CLIWA-NET website at

<http://www.knmi.nl/samenw/cliwa-net/main.html> ). André van Lammeren briefed the BSSG members on the objectives and preliminary results of CLIWA-NET (see Appendix 9).

Additional *BRIDGE* activities reported include:

A HIRLAM-BALTEX data assimilation project uses a special version of the HIRLAM system for quantifying the water and energy budgets of the area relevant to the BALTEX experiment through variational data assimilation. A reanalysis of one year of the *BRIDGE* period (October 1999 - October 2000) with special emphasis on the quality of the reanalysis and the components crucial for the water and heat budgets. This project is a joint undertaking of FMI, SMHI and ECMWF (see also <http://hirlam.fmi.fi/bridge/introduction.html> ).

The BALTEX Radar Data Centre at SMHI is continuously providing several radar products covering the entire *BRIDGE* period (see item 12 for details and the BRDC website at <http://www.smhi.se/brdc/blthome.html> ).

Additional (to what is performed in the course of the routine operations of national weather services) radio soundings were conducted at several stations during *BRIDGE* EOPs.

Tropospheric and atmosphere boundary layer measurements according to the “Lindenberg column” monitoring concept have become almost operational during *BRIDGE* for a variety of measurements performed at the Meteorological Observatory Lindenberg of DWD.

Several field measurements were conducted during part of the *BRIDGE* period in the course of the EC-funded project “PEP in BALTEX” ( Pilot study of Evaporation and Precipitation in the Baltic Sea, co-ordination Ann-Sofi Smedmann, Uppsala University; see the PEP website at <http://www.met.uu.se/cirrus/airsea/pep/pep.htm#methodology> ).

The *BRIDGE* Ocean Programme did not materialise to the extent as originally scheduled, because of a major lack of funding at most of the institutions involved in the planning stages. However, several specific research vessel cruises were conducted during *BRIDGE* EOPs. Jan Piechura showed examples of repeated cross-sections during EOP1 and EOP2, which had captured an event of salt water inflow in the Stolpe Channel region in the western Baltic Sea (see also item 13). Also, Andreas Lehmann reported on conducted, and still planned ship cruises. It was however noted, that a comprehensive overview on activities performed as part of the Ocean Programme in *BRIDGE* was lacking, and the BSSG gave the **Action #7** to **Anders Omstedt, Andreas Lehmann, Jan Piechura, Pekka Alenius and Hans-Jörg Isemer** to compile a summary on performed actions as part of the *BRIDGE* Ocean Programme.

The BSSG was pretty aware that the reported activities do most probably not provide for a complete coverage of *BRIDGE* activities. A lack of comprehensive information on *BRIDGE* activities in general was noted. In this context, several BSSG members suggested to revitalise the regular publication of a BALTEX Newsletter. Such a regularly published print medium would be helpful to rapidly inform the BALTEX community on obtained results or conducted activities. It was noted that two issues of a BALTEX Newsletter had been published in earlier times, however, a regular publication could not be maintained at that time. The BSSG took the view that a regular BALTEX Newsletter would be highly beneficial and gave the **Action #8** to **Hans-Jörg Isemer** to take steps towards the regular publishing of a BALTEX Newsletter with the first issue to appear in early 2002.

The BSSG discussed the set-up of a specific working group with the general objectives to

- 1) establish a summary catalogue on all activities conducted during *BRIDGE*, and
- 2) to stimulate and supervise necessary evaluation, exploitation and modelling activities based on the data collected during *BRIDGE*.

It was finally decided to give the **Action #9** to **Hans-Jörg Isemer and Anders Omstedt** to take steps to transform the earlier *BRIDGE Management Group* into a *BRIDGE Evaluation Team* by (i) arranging for the *BRIDGE Evaluation Team* membership, (ii) fine-tuning the objectives of this team, and (iii) initiating steps to meeting these objectives, along the lines suggested by the BSSG.

## Item 8: CEOP

The Chairman summarised the main objectives and the status of the Co-ordinated Enhanced Observational Period (CEOP) of GEWEX (for the recently approved CEOP Implementation Plan see <http://www.gewex.com/ceop.htm>, and further information on CEOP at <http://monsoon.t.u-tokyo.ac.jp/ceop/index.html>). CEOP is the major upcoming observing period of GEWEX with benefit also to other WCRP projects, such as CLIVAR. It will be built around various products of new satellites (such as TRMM, TERRA, ENVISAT, ADEOS-2, and AQUA), global model output, and high-quality *in-situ* data taken at selected reference sites located in various climate regions on the Globe. A significant input of GEWEX CSEs, such as BALTEX, is to provide *in-situ* data taken at reference sites in order to build up the envisaged central CEOP reference site data archive. At present, some 15 reference sites were already approved and options for another 15 stations are being investigated. The Chairman noted with pleasure, that the German and Dutch Weather Services (DWD and KNMI) have officially confirmed the participation of their measurement sites at Lindenberg (DWD) and Cabauw (KNMI) for CEOP. The Finnish Meteorological Institute (FMI) is currently investigating whether FMI's Arctic Research Centre at Sodankylä shall become the third BALTEX reference site for CEOP.

The Chairman introduced the recently adjusted time plan for CEOP, which constitutes a shift in time of the planned two full annual cycle periods, which had to be postponed because of the delay of several satellite launches. The new CEOP time plan is as follows:

- |                          |                                                                                 |
|--------------------------|---------------------------------------------------------------------------------|
| 1 July 2001-30 Sep 2001: | Preliminary data period ( <i>unchanged to earlier plans</i> )                   |
| 1 Oct 2001-30 Sep 2002:  | Build-up phase ( <i>new</i> )                                                   |
| 1 Oct 2002-30 Sep 2003:  | 1st CEOP Annual Cycle Period<br>( <i>post-poned compared to earlier plans</i> ) |
| 1 Oct 2003-30 Sep 2004:  | 2nd CEOP Annual Cycle Period<br>( <i>post-poned compared to earlier plans</i> ) |

The present activities towards establishing reference site data sets is mainly focussed on receiving final approval for several sites and the establishment of sample data sets from each site in the central CEOP data archive in Boulder, Colorado, USA.

The Chairman informed the BSSG that CEOP has recently been endorsed as the first component of the IGOS (Integrated Global Observing Strategy) Integrated Global Water Cycle Observation (IGWCO) activities. IGOS is a strategic international planning process, involving a number of global partners (such as CEOS, WCRP, IGBP, IOC, WMO, GCOS, GTOS,

GOOS), that links research, long-term monitoring and operational programmes, as well as data producers and users, in a structure that helps determine observation gaps and identify the resources to fill observation needs. The importance for CEOP being endorsed is e.g. that IGOS is a framework for decisions and resource allocation by individual funding agencies, providing governments with improved understanding of the need for global observations through the presentation of an overarching view of current system capabilities and limitations. The Chairman continued emphasising that CEOP is expected to receive higher attention and acceptance at national and international levels through this endorsement.

Several members of the BSSG, representing national meteorological Services, noted that the objectives of CEOP, the benefits this international effort may have for the Services, and possible future requirements may not be well enough known at the Services's Director General levels and **Hartmut Graßl** was asked (**Action #10**) to take steps to inform the General Directors of Hydro-meteorological Services on CEOP objectives, CEOP-related activities in BALTEX, CEOP requirements for BALTEX, and mutual benefits for BALTEX and CEOP; in particular stressing the role of the Services in these activities.

The BSSG discussed how BALTEX may be adequately represented in CEOP organisational bodies. H. Graßl is already chairman of the CEOP Scientific Steering Group. At present, four CEOP Working Groups are either already implemented or the implementation is planned. The BSSG suggested the following BALTEX representatives to join CEOP WGs:

- **Carl Fortelius** (FMI) for the CEOP WG on Water and Energy-cycle Simulation and Prediction (WESP);
- **Jürgen Fischer** (University of Berlin) for the CEOP WG on Satellite Remote Sensing;
- **Hans-Jörg Isemer** (GKSS) for the CEOP WG on Data Management.

No BALTEX representative was suggested for the CEOP WG on Monsoon System Studies.


Both Carl Fortelius' and Jürgen Fischer's CEOP WG membership still need approval by the respective CEOP WG chairs, hence, **Hartmut Graßl** was given the **Action #11** to arrange for BALTEX representatives' participation in CEOP working groups at the CEOP SSG and WG levels, and to invite Carl Fortelius and Jürgen Fischer to become members of the CEOP WESP Working Group and CEOP Satellite Working Group, respectively.

The Chairman finally announced that planning steps have recently been initiated for the official CEOP kick-off meeting, to be held in Tokyo, Japan, during 6 to 8 March 2002, where all CEOP WGs shall meet jointly for the first time. It is in particular planned to gather all reference site station managers around one table in order to jointly discuss steps to build up the central CEOP reference site data archive.

## **Item 9:     *BALNET* and the revision of the BALTEX science plan**

Hans-Jörg Isemer briefed the BSSG on the thematic network funding proposal *BALNET* which was submitted to the European Commission's (EC) Fifth Framework Programme (FP5) Energy, Environment and Sustainable Development (EESD) programme for the 15 October 2001 deadline. The proposal entitled **Global Change, Natural Variability and Anthropogenic Influences in the Baltic Sea Basin - Towards a Baltic Research Area** is a joint initiative of 52 institutions from 14 European countries requesting financial support for establishing the basis for an European research area with the ultimate objective to initiate, and continue, co-ordination of research on global change, natural variability and anthropogenic influ-

ences in the Baltic Sea basin in an integrated manner. The major deliverable of *BALNET* will be an integrated European science agenda for the Baltic Sea basin including – as a central deliverable - a future science and implementation plan. Based on the recently improved understanding of physical processes governing the water and energy cycles of the Baltic Sea basin, obtained in the frame of the BALTEX programme, *BALNET* is designed to integrate research on climate variability and change and on budgets of nutrients and pollutants in both air and water. Studies on impacts of global change on natural and society/economic systems shall be included as well as studies on related policy measures based on retrospective analyses, mitigation and adaptation scenarios. Figure 1 gives a graphic sketch of the major science themes of *BALNET*. Users and stakeholders will be participants in *BALNET* and have a platform to meet and communicate with the research community.



**Figure 1: Sketch of the main science themes of *BALNET***

H.-J. Isemer continued to note that the rationale behind the *BALNET* proposal is basically the need for a substantially intensified application of the achievements obtained in BALTEX (but also in other ongoing programmes or projects related to the Baltic Sea basin, such as NOPEX and BASYS) to other fields where knowledge on water and energy cycles is of fundamental importance: Climate variability and climate change studies including scenarios of potential future climate, and environmental investigations, in particular on transport and deposition of nutrients and pollutants. In these latter areas, new knowledge recently generated by BALTEX and NOPEX has so far not adequately been recognised and applied in the user communities and other science sectors. A co-ordinated initiative at the European level is required in order to i) create cross-discipline linkages with mutual benefits within the natural sciences, and ii) support decision makers on the political level in environmental issues related to the Baltic Sea basin. H.-J. Isemer pointed out that *BALNET* (where no funding for real research work shall be funded, but support for accompanying and co-ordination activities such as conferences and workshops was requested) shall lay the base for phase 2 of the BALTEX programme and is envisaged to provide financial means for the transition of phase 1 (1993-2002) into phase 2 (2002 and beyond) of the BALTEX programme.

H.-J. Isemer explained details of the *BALNET* proposal. The proposal is structured into the following seven work packages:

WP1: Co-ordination and network management

WP2: User identification, stimulation and integration

WP3: Natural science assessment

WP4: Impacts

WP5: Policy Issues

WP6: Science agenda for global change in the Baltic Sea Basin

WP7: Training and education, dissemination of results.

Central to *BALNET* is WP6, where – as part of the envisaged science agenda for global change in the Baltic Sea Basin – both a science and an implementation plan for phase 2 of BALTEX shall be established. WP2 to WP5 are preparatory for WP6, providing for essential input for the science agenda.

Details of WP2 and WP3 were explained in more detail by H.-J. Isemer. **The objectives of WP2 of *BALNET*** read as follows:

- 1) To identify end users and stake holders relevant for *BALNET* results and establish user groups in the Baltic Sea basin; to integrate users as active participants to *BALNET* workshops and activities;
- 2) To provide feedback from user groups to the research community on topics relevant to global change and sustainable development in the Baltic Sea basin;
- 3) To help disseminate *BALNET* results to user groups via reports, internet and workshops, in close co-operation with WP7.

WP2 has been divided into the following five different tasks according to those themes which were considered essential in particular for the relations between the science community on the one side and potential users and stake holders on the other side:

Task 2.1: Forecasting hazardous events (severe weather, floods etc);

Task 2.2: Eutrophication of the Baltic Sea – causes and possible solutions, impact on water quality, algal blooms and fisheries;

Task 2.3: POPs and heavy metals – fluxes, impact and possible solutions;

Task 2.4: Climate variability and climate change - long-term drivers of ecological, environmental and societal adaptation and change;

Task 2.5: Baltic Sea 2100 –Strategies for sustainable development in the Baltic Sea Region.

For each of these five themes several candidate user and user groups were already identified.

**The 3<sup>rd</sup> WP of *BALNET*** aims at a comprehensive state-of-the-art review of BALTEX and other science areas which are envisaged to be included in BALTEX phase 2. Three objectives were defined for WP3:

- 1) To review the state of the art of natural sciences in five specific disciplines (see below), with particular focus on the Baltic Sea basin;
- 2) To identify knowledge gaps in, overlap and mutual benefits among the science disciplines involved and suggest research projects to fill these gaps;
- 3) To provide an integrated natural science state-of-the-art review including suggestions for research needs as input for a science agenda on global change in the Baltic Sea basin.

The natural science review shall include the following five disciplines, the latter are organisationally included as individual tasks in WP3 of *BALNET*:

Task 3.1: Physics of energy and water cycles;

Task 3.2: Heat, water and carbon exchange between sea and land surfaces and the atmosphere;

Task 3.3: Input and air-sea exchange of bio-reactive elements [N, P, C] and pollutants [SO<sub>2</sub>, metals, POPs] to the Baltic Sea;

Task 3.4: Internal transformations and fluxes of C, N, P (ecosystem models) and pollutants in the Baltic Sea, and net export through the Danish Straits;

Task 3.5: Climate variability and climate change.

Hans-Jörg Isemer continued his overview on *BALNET* by giving details on participants at the *BALNET* proposal and the foreseen attachment of leading functions, such as work package leaderships and co-ordination functions. The majority of the attending BSSG members' institutions are participants to *BALNET*. Roughly 2/3 of all *BALNET* participants are in some way participating – or have participated in the past - in BALTEX projects, 1/3 are “newcomers” in the traditional BALTEX context.

H.-J. Isemer finished his overview on *BALNET* by emphasising the importance of *BALNET* as a preparatory step for writing future funding proposals to the forthcoming 6<sup>th</sup> Framework Programme (FP6) of the EC.

The BSSG thanked H.-J. Isemer for his report and for his efforts and contributions to establishing the *BALNET* proposal. A lively and intensive discussion on the *BALNET* proposal followed during which a particular focus was given to the question to what extent BALTEX shall “open” its science objectives to the new disciplines mentioned. Several BSSG members mentioned the importance of steps towards a full opening as suggested in the *BALNET* proposal while others indicated preference for a more conservative attitude. Arguments brought forward in favour of the latter opinion included the concern of a too diverse science programme and a related too large community involved. Arguments in favour of a rapid and full enlargement of BALTEX's objectives, as suggested in the *BALNET* proposal, included the expectation that BALTEX would distinctly increase its attractiveness also for funding agencies both at the EU and national levels. It was clearly pointed out that, with unchanged objectives, BALTEX may decrease the likelihood of getting future projects substantially funded. BALTEX would urgently need a dynamical program development in order to establish further skill and results with a closer orientation towards user needs and requirements. It was also noted that the draft funding policy for FP6, as visible at present, will change towards new funding instruments, including so-called *integrated projects*, which are likely to require an integrated research approach, along the lines as suggested in the *BALNET* proposal.

The BSSG finally concluded to decide on the steps to be taken for initialising phase 2 of BALTEX after the evaluation result for the *BALNET* proposal will be available (which is expected for early 2002). Measures and actions, how *BALNET* objectives (and, hence steps towards implementing phase 2 of BALTEX) will be reached, will to some extent be dependent on whether the *BALNET* proposal will be retained for funding. The BSSG, however, stressed that several steps based on suggestions made as part of the *BALNET* proposal will be initiated in any case.

Firstly, to meet the objectives of WP3 of *BALNET* for task 3.1, a critical state-of-the-art review on what the achievements of BALTEX are so far, shall be conducted. A draft report on

the findings shall be presented at the next BSSG meeting. This task was given to the BALTEX Working Group on Energy and Water Cycles (WGEW) chaired by Daniela Jacob (see item 11 below).

Secondly, the **Action #12** was given to **Mikko Alestalo, Pekka Alenius together with Gerald Geernaert** (Danish Environmental Research Institute) to organise a BALTEX workshop on (working title) “Eutrophication of the Baltic Sea – Causes and possible solutions, impact on water quality, algal blooms and fishery” with the particular objective to integrate potential users (such as HELCOM, fisheries organisations, tourism managers, as required), as has been suggested as part of Work Package 2, task 2.2, of the *BALNET* proposal.

Thirdly, the BSSG suggested to conduct a scientific workshop prior to the next BSSG meeting with the tentative topics on nutrients, pollutants, metals and eutrophication issues of the Baltic Sea basin, including related management and policy measures, as a step towards meeting part of the objectives of the *BALNET* proposal. This issue was given a particular action item later during this meeting when discussing the next BSSG meeting’s date and location (see item 13 below).

It was also noted in this context that the theme of the workshop held prior to this BSSG meeting had been determined in close agreement with the *BALNET* suggestion to enlarge BALTEX objectives towards including science on *climate and climate variability issues related to the Baltic Sea basin*.

## **Item 10: Composition and size of the BSSG**

With the recent retirement of Ehrhard Raschke in summer 2001, the vice-chair position of the BSSG had become vacant. Upon suggestion of the Chairman the BSSG unanimously voted for Anders Omstedt to become the new vice-chairman of the BSSG. A. Omstedt approved his election with pleasure and thanked the BSSG for bestowing its confidence on him.

The BSSG discussed its own role in the overall decision and working processes within the BALTEX structure. It was noted that the BSSG is a rather large group (21 members at present) compared to other steering bodies within GEWEX and WCRP. This large size is basically the result of the BSSG founders’ intention to have all countries in the BALTEX region (principally at least through one representative of a national Service) and all major disciplines relevant for BALTEX (presently Meteorology, Hydrology, and Oceanography) represented in the BSSG. It was also noted that not all of the BSSG members are regularly participating at BSSG meetings. The BSSG has no maximum term defined for its members, hence fluctuations in the BSSG membership occur at rather irregular intervals. A further discussion point was the new broadened scope of BALTEX phase 2 (see item 9) which was considered to have consequences for the future composition of the BSSG and possibly other BALTEX bodies.

The BSSG members concluded that the BSSG shall be maintained as the highest decision board in the BALTEX structure. It was also agreed that the present mixture of national representatives and science representatives has been highly beneficial in many situations, and shall be continued. It was also noted that a clear distinction into “national” and “science” representatives would anyway be difficult to apply for the majority of the BSSG members.

The BSSG decided to introduce a 3 year term for the BSSG. This means that members of the BSSG will have to be confirmed in 3 year intervals by the majority of the members of the

BSSG, or new members shall be suggested and confirmed by BSSG's majority. Details on how this procedure may be implemented will be finally confirmed at the next BSSG meeting. **Hartmut Graßl** took the **Action #13** to undertake steps to enhance efficiency of the BALTEX SSG by a balanced number of new members, taking into account the broadened scientific scope envisaged for BALTEX Phase II. Hartmut Graßl will also supervise steps towards implementing the new rules for the BSSG membership.

Whether a limited membership term is to be applied to BALTEX WGs and other bodies as well, shall be discussed internally in these groups and bodies.

The BSSG also concluded that a new **BALTEX Executive Group (BEG)** shall be installed at a level "between" the BALTEX Working Groups and the BSSG. This group shall basically be composed of the BSSG Chairman, the BSSG vice-chairman, and the BALTEX WG chairpersons. The main objective of the BEG is to quickly respond to scientific questions, which require a rapid action within the BALTEX programme. The BEG will have to report to the BSSG at the latter's regular meetings. The BEG's detailed objectives will have to be set up and be finally confirmed at the next BSSG meeting, respectively. The present composition of the BEG is as follows:

Hartmut Graßl (as the BSSG Chairman),  
Anders Omstedt (as the BSSG vice-chairman),  
Daniela Jacob (as the chairperson of the WG on Energy and Water Cycles),  
Jarmo Koistinen (as the Chairman of the WG Radar).

The BEG members may decide to include other scientists, if required.

## **Item 11: Working Group reports**

At present, two BALTEX Working Groups are existing: the BALTEX Working Group on Radar (BWGR), and the BALTEX Working Group on Energy and Water Cycles (WGEW).

The report of the **BALTEX Working Group on Radar (BWGR)** was given by Mikko Alestalo for the chairman of the BWGR, Jarmo Koistinen, who was unfortunately unable to attend this BSSG meeting. His written BWGR report was made available to the BSSG and is attached in Appendix 11. Also, the minutes of the 6<sup>th</sup> meeting of BWGR are attached as Appendix 12. The report was very well received and the BSSG applauded Jarmo Koistinen and the BWGR for the success in establishing the BALTRAD radar network. The BALTEX Radar Data Centre (BRDC) at SMHI, operated by Daniel Michelson, was included in BSSG's appreciation. It was in particular noted that the establishment of BALTRAD and BRDC has been a successful example for installing a highly useful research infrastructure built upon frontier scientific research embedded in international research programmes and initiatives. The BSSG acknowledged that BALTRAD is among the World's most "comprehensive" research networks of weather radars, considering the number of countries, contributing institutes, and heterogeneity of the radars themselves along with their data. It is a major BALTEX achievement that this network, together with the BRDC, has now continuously provided high quality datasets during the entire BRIDGE period on a quasi-operational base. The BALTRAD products were in particular noted as a candidate BALTEX product to be provided for CEOP. Establishing BALTRAD and BRDC in its present design was acknowledged as the result of year-long efforts of numerous individuals and institutions, in particular national weather services, involved. The BSSG also noted that the BWGR report points to some still

existing gaps, both in geographical coverage and scientific evidence for further minimizing uncertainties and errors in the BALTRAD products. An evident geographical gap in radar coverage was identified in the eastern part of the BALTEX area, and the BSSG took note on possible technical, infrastructure, personal and logistic problems with some radars in that region, as noted in the BWGR report and the BWGR meeting minutes (Appendix 10 and 11). The BSSG considered it useful to address the involved national Services in eastern Europe making them aware of the potential benefit a rapid closing of the existent gaps in radar coverage would mean for both scientific and operational applications, and at the same time requesting the Service's suggestions on how BALTEX may be helpful to solve existing problems. The BSSG gave the **Action #14** to **Jarmo Koistinen** (chairman of BWGR) to inform Hartmut Graßl on burning problems (technical and/or financial, or others) concerning present gaps in the radar coverage needed for BALTEX purposes; and, as an immediate follow-up and part of the same action, **Hartmut Graßl** to write letters based on Jarmo Koistinen's information to national Services as a measure to start solving the reported radar problems, whenever possible.

**The BALTEX WG on Water and Energy Cycles (WGEW)** is chaired by Daniela Jacob. She reported on a preliminary meeting of the WGEW, held during the 3<sup>rd</sup> Study Conference on BALTEX in Mariehamn, Finland (see also Appendix 5). Unfortunately, no extra funding could be made available so far to support writing the planned textbook on achievements of the BALTEX programme. Respective action of the WGEW are hence delayed, and not all candidate members of WGEW have so far confirmed their participation. The BSSG encouraged the WGEW to continue steps towards establishing the planned textbook on BALTEX achievements. It was further suggested that the WGEW shall provide for a comprehensive state-of-the-art science review on the present achievements of BALTEX, and assess the BALTEX achievements critically versus the objectives of BALTEX, as has recently been planned as part of the *BALNET* proposal (see item 9). The objectives for WGEW in this respect were hence defined as follows:

- 1) To review the scientific achievements which have been made with respect to processes of water and energy cycles in the climate system during the last decade (since BALTEX is ongoing), and to assess the BALTEX contribution to these achievements;
- 2) To assess BALTEX achievements in the light of the original BALTEX objectives: Has BALTEX met its objectives ?
- 3) To identify existing gaps in our knowledge on water and energy cycles in the Baltic Sea catchment, and suggest research projects to fill these gaps;
- 4) To identify potential linkages to climate and climate variability research, and to research on transport and deposition of nutrients and pollutions, as has been suggested in work package 3 of the *BALNET* proposal (see item 9).

The BSSG asked **Daniela Jacob (Action #15)** to constitute the membership and finalize establishing detailed objectives of the BALTEX Working Group on Energy and Water Cycles (WGEW) along the lines suggested by the BSSG, and initiate steps towards meeting WGEW's objectives.

## **Item 12: Data Centre reports**

The report for **the BALTEX Meteorological Data Centre (BMDC)** operated by the German Weather Service (DWD) was given by Sabine Hafner, responsible head of BMDC. The recently published BMDC Report No.5 was handed out to the BSSG which contains a compre-

hensive overview and statistics on activities of the BMDC during the year 2000. The BMDC Report No.5 may be obtained directly from DWD ( see also [http://www.dwd.de/research/baltex/e\\_baltex.html](http://www.dwd.de/research/baltex/e_baltex.html)) or also at the International BALTEX Secretariat (see <http://w3.gkss.de/baltex>).

Sabine Hafner explained that BMDC is continuing to further extend its data bases, which may basically be divided into the Baltic Sea basin data base (BACAR) and the BALTEX modelling area data base (BAMAR). While the majority of data archived in the BAMAR section of BMDC includes SYNOP observations from stations and ships and aerological data (RS ascents), the BACAR archive is more comprehensive including additional observations and measurements such as precipitation, surface radiation components, soil and snow data. An example for BMDC's data availability is given in Appendix 12. All data are thoroughly processed including formatting and error checking. BMDC has also started to archive specific BALTEX products such as precipitation fields (daily, 1/6 degree resolution) for the BALTEX region, precipitation measurements made onboard especially equipped ships from the Baltic Sea, and, to a limited extent, products from data assimilation runs performed at DWD. BMDC has also initiated steps to get access to and archive climate records from some stations and for selected parameters in the BALTEX region (see Appendix 12 for some details).

S. Hafner noted that additional (to what is available routinely on the GTS) data from Russia have not been delivered since 1998, for the Kaliningrad Region even since 1995. She recalled that additional data delivery from all East-European Services is still dependent on extra funding, which has been assured primarily through national German sources (through the German Education and Research Ministry, BMBF), the International BALTEX Secretariat, and DWD) during recent years. The funding contract for the Russian Service could unfortunately not be prolonged in 1998, and other contracts with Services in other East-European countries will most probably have to be terminated in the nearest future because of a lack of national funding possibilities in Germany. Several BSSG members pointed out that, while funding support for the initialisation of additional (to routine) data delivery for research programmes such as BALTEX is justified, a continuous funding of data deliveries to BALTEX data centres might be difficult to defend. Sten Bergström noted that SMHI, as the holder of the BALTEX Hydrology Data Centre (BHDC) is not paying for any data provision in support of the BHDC but expects data delivery to BHDC as a contribution of National Services to BALTEX. As several BSSG members representing Hydro-meteorological Services were unable to attend this meeting, the BSSG concluded to discuss this important issue on its next meeting.

Sabine Hafner continued mentioning that although data requests are continuously received at BMDC, and the number of data users is steadily increasing, only very few of registered data users have provided feedback on obtained research results by e.g. submitting copies of publications as is requested as part of the BALTEX Data Exchange Policy. Hence, documentation on what achievements are being made using data archived and distributed via BMDC is rather incomplete, which may endanger future continuous engagement of DWD for BMDC. Discussion within BSSG revealed that a lack of the data users' feedback on science achievements based on BALTEX data is also a complaint of other BALTEX Data Centres. The BSSG gave the **Action #16** to the BALTEX Data Centres and the BALTEX Secretariat (**Sabine Haffner, Bengt Carlsson, Daniel Michelson, Pekka Alenius, Hans-Jörg Isemer**) to take steps, as part of the general BALTEX Data Exchange Policy, towards a permanent and effective monitoring of scientific results obtained using BALTEX data by e.g. urging BALTEX data users to submit copies of published BALTEX articles to the Secretariat or Data Centres, as required by the BALTEX data license agreement. In this same context, it was noted that the electronic

BALTEX Library, which is maintained at the BALTEX Secretariat and is accessible through the BALTEX website (<http://w3.gkss.de/baltex>) had been established e.g. for monitoring BALTEX publications. It was noted that, at present, a mixture of publications of both BALTEX results and other studies were entered into the Library without proper discriminating between them. The BSSG concluded to limit the entries in the Library to true BALTEX results in the future, and suggested to introduce an indicator to provide a clearly visible division into BALTEX result entries, and others. The Library is most probably not up-to-date and needs further updating. **Hans-Jörg Isemer** accepted the **Action #17** to update the BALTEX Publication Library established at the International BALTEX Secretariat along the lines suggested by the BSSG.

Finally, the future inclusion of long-term instrumental climate records (time scale of decades to centuries) into the archives of BMDC (and other BALTEX Data Centres, if appropriate) was discussed. It was noted that in particular in Scandinavia several of these records exist (for example surface air-temperature at Stockholm, which extends back to the early 18<sup>th</sup> century). The BSSG suggested to initiate building up an inventory on existing long-term climate records for the BALTEX area and gave **Action #18** to **Hans-Jörg Isemer** to identify long climate records relevant for the Baltic Sea basin and compile information on these data at the Secretariat.

Sten Bergström summarised the status of **the BALTEX Hydrological Data Centre (BHDC)** which is operated by the Swedish Meteorological and Hydrological Institute (SMHI) in Norrköping, Sweden, with Bengt Carlsson being the head of the BHDC. The BHDC is continuously enlarging its archives collecting both daily and also monthly runoff data from the BALTEX area, as has been defined as BHDC's objectives. BHDC is maintaining its own website at <http://www.smhi.se/sgn0102/bhdc/bhdc.htm> where detailed information on the actual status of the data base is made available. Among specific BHDC actions in 2000 and 2001 was the preparation and distribution of both hydrological and meteorological data of the Thorne and Kalix river basins in northern Scandinavia which were used as input and validation data in the frame of the GEWEX PILPS-2e Arctic model intercomparison project.

BSSG members noted a specific gridded 1 degree meteorological data set covering the BALTEX area and much of northern Europe established at SMHI which is now frequently used for various purposes in the BALTEX modelling community. It was also noted that information on technical details of this data set have not yet completely been made available to the science community, and **Sten Bergström** took the **Action #19** to provide detailed technical information for users on this data set.

S. Bergström continued giving the summary report of the **BALTEX Radar Data Centre (BRDC)** which is also operated by SMHI (responsible head is Daniel Michelson, see the BRDC's website at <http://www.smhi.se/brdc/blthome.html> ). A particular challenging current task at BRDC is the continuous establishment and distribution (via CD-ROM) of several BALTRAD products during the entire BRIDGE period (October 1999 to February 2002). The BALTRAD network currently comprises 30 radars (7 in Finland, 12 in Sweden, 2 in Norway, 3 in Denmark, 5 in Germany, and 2 in Poland, see also Appendix 11 and Appendix 12 for more details on BRDC). The following products are being provided during BRIDGE:

- 1) DBCZ composites of radar reflectivity factor, 2x2 km horizontal resolution, BALTRAD coverage every 15 minutes;
- 2) Gauge-adjusted accumulated precipitation, 2x2 km horizontal resolution, BALTRAD coverage every 3 hours;

- 3) Gauge-adjusted accumulated precipitation, 2x2 km horizontal resolution, BALTEX region coverage every 12 hours;
- 4) Vertical profiles of wind speed and direction at selected BALTRAD radar stations, 1 hour time resolution.

Sten Bergström finished by noting that BRDC has now adopted the HDF5 data format. As of 1 July 2001, BRDC data sets are being stored and distributed using HDF5. The NCSA's HDF5 software has been made available to data users on one of the BRDC data CD-ROMs.

The BSSG appreciated again with pleasure the continuous successful work made at BRDC and acknowledged the continuous product delivery for BRIDGE as a highlight achievement for BRIDGE and of the entire BALTEX programme (see also item 11).

The report for **the BALTEX Oceanographic Data Centre (BODC)** was given by Pekka Alenius of the Finnish Institute of Marine Research (FIMR). In contrast to the other BALTEX data centres, the BODC acted so far as a meta data centre. P. Alenius reported that user requests on this meta information has been rather scarce ever since and was even going down in recent times. He however mentioned that this is most probably not an indication for BALTEX not being in need of a central oceanographic data archive, but that the BALTEX marine research groups and individuals have instead used either other archives, or established individual archives and data bases at their individual research institutes. This view was strongly supported by BSSG members. The BSSG members representing the oceanographic BALTEX community and research unanimously stated the need for a real central BALTEX Data Centre for oceanographic data. Pekka Alenius continued noting that FIMR will unfortunately have no financial means available to continue to act as the holder of the BODC, even in its current status as a meta data centre. The BSSG discussed various options how a BALTEX data centre for oceanographic data could be operated and which candidate institutions might be capable of maintaining such a data centre. Sten Bergström indicated that he will explore SMHI's possibilities to establish and maintain an oceanographic data centre for BALTEX at the Göteborg Branch of SMHI, and the BSSG appreciated Sten Bergström's initiative. The BSSG concluded to give the **Action #20** to **Anders Omstedt, Andreas Lehmann, Jan Piechura, Pekka Alenius, Jouko Launiainen, and Sten Bergström** (i) to take immediate actions for a vitalisation of the BALTEX Data Centre for oceanographic data, with the option to install the Data Centre at the Göteborg Branch of the Swedish Meteorological and Hydrological Institute (SMHI), and (ii) to re-consider and define the objectives of the oceanographic data centre including in particular the definition of data types to be stored at the data centre.

Finally on this item, the question whether BALTEX should maintain a specific data centre for satellite data was raised by BSSG members. This issue was discussed also in the context of one of the suggestions of the BALTEX mid-term review, where a lack of visible uses of satellite - and, in general - remote sensing data within the BALTEX programme had been diagnosed. BSSG members argued that a BALTEX central satellite data centre may help to stimulate the application of satellite products, to make access to satellite data easier for interested users, and also the use of such data more visible. **Action #21** was given to **Hans-Jörg Isemer and Clemens Simmer** to investigate whether a dedicated BALTEX Data Centre for satellite data is required for BALTEX and to prepare related information for final discussion at the next BALTEX SSG meeting.

### **Item 13: Reports from countries**

Only countries with a representative available at the time of the discussion are included in this reporting section.

#### **Sweden**

Anders Omstedt re-called that a Swedish national BALTEX group has been implemented and is regularly conducting meetings in order to co-ordinate the Swedish contributions to the BALTEX programme. A. Omstedt acts as the chairman of this group. He shortly summarised the major institutions which contribute to BALTEX via several projects, which are funded either on the national level (e.g. the Swedish Regional Climate Modelling Programme SWECLIM), through EU-funded projects, as well as through various institutional contributions. Major contributions to BALTEX are currently originating from the Swedish Meteorological and Hydrological Institute (SMHI), the Rossby Centre as the Swedish Climate Computing Centre, Chalmers University, Lund University, Uppsala University and Göteborg University. These institutions provide contributions to almost all science components of the BALTEX programme in all three major BALTEX disciplines, meteorology, hydrology and oceanography.

#### **Finland**

Major contributions in Finland are presently originating from the Finnish Meteorological Institute (FMI), the Finnish Institute for Marine Research (FIMR), Helsinki University, and the Finnish Environment Institute (SYKE). SYKE is currently being re-structured and will cover marine aspects in the future as well. Mikko Alestalo mentioned a new Finnish research funding programme for the Baltic Sea, which is seen as a potential funding source for national BALTEX contributions. The most important science topics related to BALTEX covered at present by the mentioned Finnish institutions include a data assimilation project for *BRIDGE*, weather radar issues, air-ice-sea interaction field studies, and sea-ice modelling activities. It was noted that efforts in Finland are strengthened towards developing 3d hydrodynamic ecosystem models of the entire Baltic Sea. It was finally noted, that there is currently a somewhat low profile concerning BALTEX research topics at most Finnish universities (except Helsinki University), and it was suggested to further stimulate Finnish Universities to join activities for preparation of phase 2 of BALTEX.

#### **Denmark**

Sven-Erik Gryning briefly noted that, to his knowledge, there are only few BALTEX activities ongoing in Denmark at present, with the exceptions of the Risö National Laboratories and the Technical University of Denmark (DTU). Activities at Risö and DTU concentrate on hydrological modelling and atmospheric boundary layer studies and modelling. The low Danish profile in BALTEX is at least partly caused by a lack of a suitable national funding programme from where BALTEX-related projects may receive financial support.

#### **The Netherlands**

KNMI is the major Dutch contributor to BALTEX through the co-ordination of and contributions to the EU-funded BALTEX *BRIDGE* cloud liquid water network project CLIWA-NET, contributions to climate and regional model validation and intercomparison studies using different BALTEX data sets (such as the PIDCAP GPS products, and others), and contributions to improving land surface schemes in weather forecast models (such as ECMWF models).

**Poland**

Polish contributions to BALTEX originate from the Institute of Oceanology at the Polish Academy of Sciences (IOPAS) in Sopot, the Wroclaw branch of the Institute of Meteorology and Water Management (IGMW, the Polish Hydro-Met Service), the University of Szczecin, and the Maritime Institute in Gdansk. Jan Piechura noted that IOPAS conducted several research vessel cruises as part of the *BRIDGE* ocean programme. He showed preliminary results of field surveys obtained with IOPAS's RV Oceania which documented a particular inflow event in the Bornholm Deep - Stolpe Channel Region during EOP1 and EOP2 of BRIDGE in 1999 and 2000 (see Appendix 14). J. Piechura noted the expected outstanding value of these data for e.g. model validation purposes.

**Germany**

Hartmut Graßl briefed the BSSG on a recently approved German national Climate Research Programme (DEKLIM), funded by the national Ministry for Education and Research (BMBF), which includes a specific section of project clusters related to the BALTEX programme. These projects were started at slightly varying times in the second half of the year 2001, and will be funded for three (some even for four) years. Together with other BALTEX-related projects (e.g. funded by the German national Atmospheric Research Programme, AFO2000, again funded by BMBF), a total amount of distinctly more than 10 Mill € are presently allocated to BALTEX projects in Germany. See Appendix 15 for some details. BSSG members acknowledged these national efforts as an important contribution to maintaining BALTEX research for the years to come. The **Action #22** was given to **Hans-Jörg Isemer** to publish a note on the BALTEX projects funded by national German sources (DEKLIM, AFO2000) in the next issue of the BALTEX Newsletter.

**Item 14: Date and place of the next BSSG meeting**

The BSSG decided to reconvene for its next meeting already in early summer of 2002 having in mind the important steps and decision to be taken in the context of preparing for BALTEX Phase II. Sirje Keevallik offered to host the 13<sup>th</sup> BALTEX Science Steering Group meeting at the Estonian Business School (EBS) in Tallinn, Estonia during June 2002. The BSSG unanimously agreed with pleasure to follow this invitation. **Sirje Keevallik and Hans-Jörg Isemer** agreed to take **Action #23** to prepare for the 13<sup>th</sup> BALTEX SSG meeting to be held at the **Estonian Business School in Tallinn, Estonia, during 17 to 19 June 2002.**

Following the decision made under item 9 of this meeting, **Hans-Jörg Isemer** (with the support of Sirje Keevallik, selected SSG members and *BALNET* participants) was given the **Action #24** to prepare for a scientific workshop prior to the 13<sup>th</sup> BALTEX SSG meeting with the tentative topic 'nutrients, pollutants, metals and eutrophication issues of the Baltic Sea basin, including related management and policy measures'.

**Item 15: Any other business**

Mikko Alestalo re-called earlier plans of Dan Rosbjerg to prepare for a major summer school on BALTEX during 2002 or 2003 in Riga, Latvia. As Dan Rosbjerg was unable to attend this meeting, Hans-Jörg Isemer was asked to contact Dan Rosbjerg on this issue and report to the BSSG Chairman. The BSSG expressed its general support for a BALTEX summer school and encouraged Dan Rosbjerg to continue any preparations in this context.

As Ehrhard Raschke, the former vice-chairman of the BSSG and BALTEX representative to the GEWEX Hydrometeorology Panel (GHP), had resigned from both these functions, a new BALTEX representative to GHP needed to be assigned. The BSSG unanimously agreed that Hartmut Graßl, as the BSSG Chairman, will act as the new BALTEX representative to GHP.

### **Closing of the meeting**

The Chairman thanked all participants for their constructive contributions to this meeting, and to the steering process of BALTEX in general. For the whole group, he heartily appreciated the excellent environment for and support to this meeting provided by KNMI as the meeting's host. The Chairman closed the meeting at noon on Wednesday, 14 November 2001.

## Acronyms and Abbreviations

ADOES-2	Advanced Earth Observing Satellite
AFO2000	Atmosphere Research Funding Programme of BMBF
AMS	American Meteorological Society
AMSR-E	Advanced Microwave Scanning Radiometer
AQUA	Earth Observing Satellite
BACAR	Baltic Sea Catchment Area data base at BMDC
BALINEX	BALTEX Land Surface Experiment at Lindenberg, Germany
BALTEX	Baltic Sea Experiment
BALTNET	Thematic network proposal for BALTEX to FP5
BALTRAD	BALTEX Radar Network
BAMAR	BALTEX modelling area data base at BMDC
BAMS	Bulletin of the American Meteorological Society
BASIS	Baltic Air-Sea-Ice Study
BASYS	Baltic Sea System Study, EU-FP4 project
BEG	BALTEX Executive Group
BER	Boreal Environmental Research
BHDC	BALTEX Hydrological Data Centre
BMBF	Bundesministerium für Forschung und Technologie, Bonn, Germany
BMDC	BALTEX Meteorological Data Centre
BODC	BALTEX Oceanographic Data Centre
BRDC	BALTEX Radar Data Centre
BRIDGE	The Main BALTEX Experiment, 1999-2002
BSSG	BALTEX Science Steering Group
BWGR	BALTEX Working Group on Radar
CARPE DIEM	Critical assessment of Available Radar Precipitation Estimation techniques and Development of Innovative approaches for Environmental Management (EU-FP5 project)
CEOP	Coordinated Enhanced Observing Period
CEOS	Committee on Earth Observation Satellites
CLIVAR	Climate Variability and Predictability Programme
CLIWA-NET	BALTEX Cloud Liquid Water Network (EU-FP5 project)
CSE	Continental Scale Experiment
DEKLIM	German Climate Research Programme
DIAMIX	Diapycnal Mixing in the stratified ocean; Field experiment in BALTEX
DMI	Danish Meteorological Institute, Copenhagen, Denmark
DNMI	The Norwegian Meteorological Institute
DTU	Technical University of Denmark
DWD	Deutscher Wetterdienst, Offenbach / Germany
EBS	Estonian Business School
EC	Executive Committee
ECMWF	European Centre for Medium Range Weather Forecast, Reading / UK
EESD	Energy, Environment and Sustainable Development Programme
EMHI	Estonian Meteorological and Hydrological Institute, Tallinn / Estonia
ENVISAT	Environmental Satellite, ESA
EOP	Enhanced Observational Period
ERS-2 ATSR	Along-Track Scanning Radiometer on ERS-2 satellite
EU	European Union
FIMR	Finnish Institute of Marine Research, Helsinki / Finland
FMI	Finnish Meteorological Institute, Helsinki / Finland

FP5	Fifth Framework Programme of the EU
GAPP	GEWEX Americas Prediction Project
GCOS	Global Climate Observing System
GERP	Geostationary Earth Radiation Budget Radiometer
GEWEX	Global Energy and Water Cycle Experiment
GHP	GEWEX Hydrometeorology Panel
GKSS	GKSS Research Centre, Geesthacht / Germany
GOOS	Global Ocean Observing System
GPS	Global Positioning System
GTOS	Global Terrestrial Observing System
GTS	Global Telecommunication System
HELCOM	Helsinki Commission
HIRLAM	High Resolution Limited Area Model
IBS	International BALTEX Secretariat
IfMK	Institut für Meereskunde Kiel, Germany
IGBP	International Geosphere-Biosphere Programme
IGMW	Polish National Hydro-Met Service
IGOS	Integrated Global Observing Strategy
IGWCO	Integrated Global Water Cycle Observation
ImoU	Interim Memorandum of Understanding
IOC	Intergovernmental Oceanographic Commission of UNESCO
IOW	Institute for Baltic Sea Research Warnemünde, Warnemünde, Germany
IPCC	Intergovernmental Panel on Climate Change
ISCCP	International Satellite Climatology Project
KNMI	Royal Netherlands Meteorological Institute, De Bilt / The Netherlands
LHM	Latvian Hydrometeorological Agency, Riga, Latvia
MAGS	Mackenzie River GEWEX Study
MONSAI	EU-FP5 project proposal
MPI	Max-Planck-Institute
MPIfM	Max-Planck-Institute for Meteorology, Hamburg, Germany
MSG	Meteosat Second Generation
NCSA	National Centre for Supercomputing Applications, USA
NEWBALTIC	EU-FP4 project for BALTEX: Full-scale studies on the energy and water cycle of the Baltic Sea catchment region
NOAA-AMSU	National Oceanic and Atmospheric Administration-Advanced Microwave Sounding Unit
NOAA-AVHRR	National Oceanic and Atmospheric Administration Advanced Very High Resolution Radiometer
NOPEX	Nordic Pilot Experiment
NORDRAD	Nordic Weather Radar Network
NWP	Numerical Weather Prediction
PEP	Pilot Study of Evaporation and Precipitation in BALTEX
PIDCAP	Pilot Study for Intensive Data Collection and Analysis of Precipitation
PILPS	Project for Intercomparison of Land Surface Parameterisation Schemes
POP	Persistent Organic Pollution
QJRMS	Quarterly Journal of the Royal Meteorological Society
RASS	Radio Acoustic Sounding System

SEVIRI	Spinning Enhanced Visible and Infra-Red Imager
SMHI	Swedish Meteorological and Hydrological Institute, Norrköping/Sweden
SSG	Science Steering Group
SWECLIM	Swedish Regional Climate Modelling Programme
TERRA	Earth Observing Satellite
TRMM	Tropical Rainfall Measuring Mission
WCRP	World Climate Research Program
WESP	Water and Energy-cycle Simulation and Prediction
WGEW	BALTEX Working Group on Energy and Water Cycles
WMO	World Meteorological Organization

**Appendix 1: Workshop agenda****CLIMATE VARIABILITY  
AND CHANGE IN THE  
BALTIC SEA AREA**

**A Workshop prior to the 12<sup>th</sup> BALTEX-SSG Meeting  
Buys Ballot Meeting Room, KNMI, De Bilt, The Netherlands  
Monday, 12 November 2001**

*Chair:* Aad van Ulden, KNMI

- 14.00 ***Introduction***  
Hartmut Graßl, Max-Planck-Institute for Meteorology, Hamburg, Germany
- 14.10 ***Challenges for the Baltic regional environment: Reconstruction of changing climate and changing pollution patterns***  
Hans von Storch, GKSS Research Centre, Geesthacht, Germany
- 14.35 ***Changes and impacts in the Baltic Sea basin – Evidence from the IPCC report***  
Zbigniew Kundzewicz, Research Centre of Agriculture and Forest Environment, Polish Academy of Sciences, Poznan, Poland
- 15.00 ***The relationship between global and local temperatures in Europe over the last century***  
Geert Jan van Oldenborgh, KNMI, De Bilt, The Netherlands
- 15.25 ***Variability and change in precipitation and run-off to the Baltic Sea***  
Sten Bergström, SMHI, Norrköping, Sweden
- 15.50 *Break*
- 16.15 ***Clouds over the BALTEX area***  
Karl-Göran Karlsson, SMHI, Norrköping, Sweden
- 16.40 ***Climate Parameter Trends in Estonia***  
Sirje Keevallik, Tartu Observatory, Estonia
- 17.05 ***The Baltic Sea ocean climate***  
Anders Omstedt, Gothenburg University, Sweden
- 17.30 ***PRUDENCE (Prediction of Regional scenarios and Uncertainties for Defining European Climate change risks and Effects) aims and objectives relevant for BALTEX***  
Jens Hesselbjerg Christensen, DMI, Copenhagen, Denmark
- 17.55 Concluding discussion and closing of the workshop

## Appendix 2: Workshop presentations abstracts

### **Challenges for the Baltic regional environment: Reconstruction of changing climate and changing pollution patterns**

Hans von Storch  
GKSS Research Centre, Institute for Coastal Research  
Geesthacht, Germany  
*Hans.von.storch@gkss.de*

#### **Summary**

Physical science has made sufficient progress to allow for the application of the knowledge constructed during BALTEX. This does not imply that all problems would have been solved, but that uncertainties have been reduced considerably by BALTEX. Lack of complete knowledge must be dealt with by making the remaining uncertainties explicit. It should not prevent from applying the available knowledge. The extension of BALTEX to more applied research components may include the following “dimensions”:

- Physical /dynamical
- Chemical / ecological
- Historical /geological
- Economical / political, and
- Sociological.

Applied research shall include advising society and policy about the state of the regional environment, short-term and long-term changes, perspectives of future change, and options of future (sustainable) use (e.g., agriculture, forestry, fishery, traffic, tourism, deposition of substances). The application of knowledge about the Baltic Sea basin environment shall in particular extend to

#### 1. Assessing the

- State of pollution
  - Speed of climate change
  - Discrimination between anthropogenic and natural climate change;
- and

#### 2. Providing scenarios of

- Mitigation of pollution
- Adaptation to change
- Optimal use of the resource „regional environment“.

The presentation will give several examples and illustrations.

## The relationship between global and local temperature in Europe over the last century

Geert Jan van Oldenborgh, KNMI

### 1 Central England vs global temperature

Like most temperature records in northwestern Europe, the Central England Temperature time series over the twentieth century shows a striking similarity with the world average: a rise until about 1945, a slight decrease, and a rise again from 1970 until now. This relationship is analysed under the assumption that the natural rise in 1900–1945 had the same effects on the local weather as the mainly anthropogenic rise of 1970–2000, which is too short to be considered separately.




Figure 1: The Central England Temperature as a function of the Jones global temperature. The dashed line is a 10-year running mean.

The correlation between the yearly averaged Central England temperature and the global temperature is  $r = 0.46$ . This is not only due to the trend; detrended it still is  $r = 0.30$ . Obviously the correlations for 10-year averages are higher still:  $r = 0.80$ , detrended  $r = 0.76$ . However, due to serial correlations the significance is not easy to assess.

Another approach is to consider two models for the local temperature

$$\text{CET} = \text{constant} + \text{noise} \tag{1}$$

$$\text{CET} = T'_{\text{global}} + \text{constant} + \text{noise} \tag{2}$$

The noise characteristics are quite different for these models.

$n$ [yr]	$\sigma\langle\text{CET}\rangle_n$ [K]	$\sigma\langle\dots\rangle_1/\sqrt{n}$ [K]	$\sigma\langle\text{CET} - T'_{\text{global}}\rangle_n$ [K]	$\sigma\langle\dots\rangle_1/\sqrt{n}$ [K]
1	0.53	0.53	0.47	0.47
5	0.30	0.24	0.19	0.21
10	0.28	0.17	0.13	0.15
20	0.25	0.12	0.08	0.11

So, model (1) is less likely than model (2), as one needs more noise with a higher autocorrelation in (1). In fact, in model (2) the noise is white to a good approximation. The same relationship is visible in spring, summer and fall, but not in winter.

## 2 European vs global temperature

The analysis was repeated for all GHCN temperature stations with >80 years of data in Europe. The regression coefficients are often around one. Again, this is not only the trend. Over the whole world, a regression with the Parker & Jones dataset shows that the warming has been remarkably uniform, with a regression coefficient between 0.5 and 2 over 75% of the surface. Of course the average of this map is one by definition.




Figure 2: Regression coefficients of the relationship between local and global temperature over the twentieth century. Left: Europe for GHCN v2b stations with at least 80 years of data. Right: whole world using the Jones & Parker dataset.

## 3 Precipitation

Precipitation is much harder to analyse this way, as there is no a priori relationship with global warming and the signal/noise ratio is much poorer. There seem to be an increase in winter precipitation in central and northern Europe.




Figure 3: Left: De Bilt winter (Nov–Mar) precipitation as a function of globally averaged temperature, the dashed line indicates a 10-year running mean. Right: the correlation between local precipitation and globally averaged temperature over Europe.

## **Changes and impacts in the Baltic Sea basin: Evidence from IPCC TAR report**

**Zbigniew W. Kundzewicz**

Research Centre of Agricultural and Forest Environment, Polish Academy of Sciences, Bukowska 19, PL- 60-809 Poznan, Poland and Potsdam Institute for Climate Impacts Research (PIK), Telegrafenberg C4, P. O. Box 60 12 03, D-14412 Potsdam, Germany

### **The IPCC Third Assessment Report is there**

In spring 2001, the Third Assessment Report of the Intergovernmental Panel on Climate Change was published. The volume prepared by the Working Group 2, devoted to impacts, adaptation and vulnerability, consists, among others, of sectorial and regional chapters. Chapter 13, produced by two Coordinating Lead Authors (*Kundzewicz* and *Parry*, 2001), eight Lead Authors, 37 Contributing Authors and two Review Editors, deals with the region of Europe.

### **Disaggregation of the TAR's findings for the Baltic region**

An attempt will be made to disaggregate some of the TAR's findings, primarily contained in the European chapter (*Kundzewicz* and *Parry*, 2001), to a sub-region of the Baltic Sea basin. Discussion of climate change impacts within the Baltic region, in the light of the findings of the IPCC TAR is offered, extending to such areas as observed changes in climate, physical and biological systems, and scenarios for the future, water resources, soils, ecosystems, coastal zones, agriculture, forestry, health, insurance, and weather extremes. The European chapter of the IPCC TAR (*Kundzewicz* and *Parry*, 2001) draws extensively from the ACACIA Report of the European Union Project (*Parry*, 2000).

### **Examples of possible climate change impacts in the Baltic region**

Studies discussed in (*Kundzewicz* and *Parry*, 2001), deal with observed and projected consequences of regional climate change, in a range of sectors.

Despite the overall warming in the region in the 20<sup>th</sup> century, in Fennoscandia, cooling in both mean maximum and mean minimum temperature in winter has been observed, but warming in summer. Annual precipitation within the 20<sup>th</sup> century has increased, particularly in the northern part of the Baltic region, and especially in winter.

Changes in timing of the hydrological cycle has been observed and further changes are projected for the future warmer world: delayed river freeze-up and earlier ice break-up, changed flow regimes, high flows coming earlier, shifting from spring towards winter.

Among observed effects in biological systems are: increases in growing season's length, poleward and upward altitudinal range shifts of plants and animals, phenology changes – earlier spring flowering of plants and egg-lying in birds, earlier emergence of insects, earlier arrival and later departure of migratory animals.

Scenario analyses for seasonal (June – July – August and December – January – February) temperature and precipitation in 2020s, 2050s and 2080s, based on a number of GCMs, are presented, following the work of Dr Tim Carter of the Finnish Environmental Institute for the ACACIA Project (*Parry*, 2000).

The Baltic region is likely to experience overall positive agricultural effects, whereas, in some production systems in Central and Eastern Europe, a decrease of productivity can be observed, due to water deficits. Changes in water-limited yield for wheat are likely to be gener-

ally positive in the region. The possibility of expansion of grapevine into the Southern part of the Baltic region has been projected.

A significant increase in exposure to coastal flooding is foreseen in the Baltic Coast. By the 2080s, the increase of the number of people experiencing flooding may increase by up to 3000%, and the range of coastal wetland losses can be as high as 84 to 98%. Adaptation costs in the Polish Coast depend largely on the magnitude of the sea-level rise; for a 1 m rise they can be as high as 14.5% of GNP.

Changes in frequency and intensity of extreme events are uncertain. Yet, a number of extreme hydrological events have occurred recently in the region and there are several mechanisms indicating possible increase of the risk in the future.

Occurrence of higher temperatures and more frequent heat waves in Southern Europe may change traditional summer tourist destinations (e. g. the Mediterranean), rendering the Baltic Sea region an even more attractive tourist destination.

### **Adaptive capacity and vulnerability**

As in several other regions in mid and high latitudes, a moderate warming can have generally positive aggregate impacts, which can turn negative with a stronger increase in temperature. The regional vulnerability in the Baltic Sea basin is relatively lower than in some other sub-regions of Europe, and in particular, far lower than in the highly vulnerable south. Yet, despite of generally high adaptive capacity, some systems within the sub-region are vulnerable and losses cannot be avoided. For instance, adaptability of biota to a fast climate change is limited, and traditional life style of some societies is in jeopardy.

### **References:**

Kundzewicz, Z. W., M. L. Parry (Coordinating Lead Authors) (2001) Europe. Chapter 13 in: Climate Change 2001. Impacts, adaptation and vulnerability. IPCC WG2 Third Assessment Report, IPCC / Cambridge University Press.

Parry, M. L. (Editor) (2000) Assessment of the Potential Impacts and Adaptations for Climate Change in Europe (ACACIA Report), Jackson Environmental Institute, Norwich, UK.

## Variability and change in precipitation and runoff to the Baltic Sea

Sten Bergström  
SMHI Norrköping, Sweden

The variability in precipitation is great in the Baltic Sea drainage basin. This is reflected in river runoff as pictured by data from the BALTEX Hydrological Data Centre (Fig 1). The figure shows that the recent wet period may not be so outstanding as it may seem in the light of the recent flooding problems in Poland, Germany, Sweden and Norway. The 1920s was another wet period.




Figure 1. Mean annual river runoff to the Baltic Sea

A closer look at flood risks in Sweden has just been carried out. Objective statistical analyses do not confirm any significant trends in extreme precipitation or extreme floods in general although summer and autumn floods have increased in a 50-year perspective. This trend flattens out if records are expanded to 100 years. This increase in frequency in the 50-year perspective has generated a heated debate on possible impacts of global warming, hydropower development and land use. A growing conflict between physical planning, reservoir operation and natural variability in water levels has also been identified.

Trend analysis of precipitation suffers from severe homogeneity problems due to undercatch and a growing awareness of the need for wind-sheltered measuring sites. This has led to a fictitious upward trend in observed precipitation, which is disclosed if the relationship between runoff and precipitation is plotted. Therefore it is safer to look at long runoff records than long precipitation records. Some of the longest runoff records in the Baltic basin show a declining trend rather than increasing and indicate that there must have been a number of spectacular floods during the 19<sup>th</sup> century. These are often confirmed by proxy data.

### Conclusions

Even though there has been some very wet years and several spectacular flood events in recent years in the Baltic basin, it would be premature to regard this as the final confirmation of global warming. This is not a trivial problem. Long records tell us that we easily underestimate the natural variability and there are always question marks about data quality, in particular as concerns precipitation. Thanks to the existence of long records and co-operation between national services and research organisations the BALTEX scientific network has a strong potential to help detecting the true trends.

## **CLOUD CLIMATE INVESTIGATIONS IN SCANDINAVIA DURING THE LAST DECADE USING HIGH-RESOLUTION NOAA AVHRR DATA**

Karl-Göran Karlsson, Adam Dybbroe

Swedish Meteorological and Hydrological Institute (SMHI) Norrköping, Sweden

\* *Corresponding author address:* Karl-Göran Karlsson, SMHI, SE-601 76 Norrköping, Sweden; e-mail: Karl-Goran.Karlsson@smhi.se

### **1 INTRODUCTION**

The task to monitor the regional and global cloud climate has become increasingly depending on the existence of appropriate cloud data sets derived from satellite measurements. Many satellite-based cloud retrieval algorithms have now reached a maturity to permit the compilation of cloud climatologies with an acceptable quality. This paper describes a method for compilation of a ten-year high-resolution regional cloud climatology based on a systematic cloud classification of NOAA AVHRR scenes over the Scandinavian region. The paper also includes a comparison of results with cloud climatologies based on surface observations and other satellite data sets (e.g. ISCCP).

### **2 METHODOLOGY**

The used approach for compilation of cloud climatologies has been to use archived results from the SCANDIA (SMHI Cloud ANalysis model using DIgital AVHRR data) cloud classification model (described in detail by Karlsson, 1996 and Karlsson, 1997) covering the period 1991-2000. SCANDIA uses the full fivechannel NOAA AVHRR data set at maximum horizontal resolution. However, the cloud climatology results presented here have been utilizing a data set with a reduced resolution of 4 km.

SCANDIA results from four daily overpasses over the area (observing approximately at night, in the morning, in the afternoon and in the evening) have been used to define a daily mean of cloud cover over the area. Results have then been accumulated to define monthly, seasonal and yearly climatologies for the studied time period. Since SCANDIA makes a separation of many different cloud types, the data set permitted also studies of different cloud groups in addition to the central parameter total fractional cloud cover. Karlsson (2001) gives a full description of these results whereas this paper only reports on some results for the parameter total fractional cloud cover.

### **3 THE SATELLITE DATA SET**

The studied NOAA AVHRR data set is composed by data from the satellites NOAA-10, NOAA-11, NOAA-12, NOAA-14 and NOAA-15. Consequently, except for a few months of data from NOAA-10, the data set consists entirely of data from the AVHRR/2 instrument. Due to technical constraints and problems (e.g., HRPT reception problems, tape failures and data gaps due to failures of the operational satellites NOAA-11 and NOAA-15), a complete satellite coverage during the period could not be achieved. The entire satellite data set consists of 12 470 satellite scenes which is 87 % of the theoretical maximum of useful scenes during the period.

### **4 RESULTS**

#### **4.1 SCANDIA climatologies**

Figure 1 shows the period mean of cloud occurrence (cloud frequency in 4-km horizontal resolution) over the area for the selected months of January, April, July and October. Notice here that the vertical discontinuity in some of the result pictures is due to the use of different cloud detection thresholds in two different processing areas (see Karlsson, 2001). Cloud conditions are shown to vary substantially according to season in Figure 1. Much higher cloud frequencies are found in the winter season than in the summer season for most places (except the Scandinavian mountain range and over the visible part of the Norwegian Sea). Over the Baltic Sea and over adjacent land areas, a substantial annual cycle in cloudiness is found. This

is further illustrated in Figure 3 showing the annual course of cloud cover (estimated within a 36-by-36 km sub-area) at a position in the southern part of the Baltic Sea (at latitude 56N and longitude 18.5E). The yearly amplitude is estimated to approximately 40 % (40 % cloud frequency in summer and 80 % in winter). More detailed results (e.g., concerning the diurnal cycle of cloud cover and the contribution from ice and water clouds) are presented by Karlsson (2001).

#### **4.2 Comparison with other cloud data sets**

In order to validate the results of the SCANDIA cloud climatologies, a comparison with a corresponding cloud climatology based on surface observations (SYNOP) was carried out. Mean values of monthly cloud cover were compiled by use of SYNOP observations made at 00 UTC, 06 UTC, 12 UTC and 18 UTC for 28 Swedish SYNOP stations. The observations of total cloud cover from each SYNOP station were compared to corresponding estimations of SCANDIA cloud cover computed in 36-by-36 km subareas centered at the geographic location of each station. In total, more than 250 000 SYNOP observations were used and compared to corresponding satellite scenes.

Figure 4 shows an overall summary of validation results month by month in the period. Notice the sinusoidal variation in the bias error varying between +5-10 % in the winter season and -5-10 % in the summer season. Particular problems are indicated in the winter season having high positive bias errors, high RMS errors and low correlation coefficients. The low correlation coefficient in winter indicates that error structures are very complex. Several error sources seem to have importance, largely caused by the lack of useful visible information and the problematic temperature conditions near the surface with frequent temperature inversions making the use of infrared channels risky for cloud detection.

The indicated underestimation of cloudiness in summer was concluded to emanate entirely from deficiencies in the SYNOP observations. The relatively high correlation coefficient and the good experience from using the SCANDIA cloud classification in summer in operational weather forecasting support this conclusion.

The SCANDIA climatologies were also compared to two international cloud data sets: CRU (New et al., 2000) and ISCCP (D2 series – described by Rossow and Schiffer, 1999). However, since the SYNOP based CRU data set is only available over land areas and since the ISCCP D2 series is not available yet for the entire ten-year period, the comparison here is limited to the years 1991-1993 only over land areas. Figure 5 shows the comparison of monthly mean of cloud cover over land areas in the Scandinavian area of SCANDIA and the two other data sets. Noticeable is the larger dynamic range of cloud cover values for SCANDIA compared to the other two data sets. Especially the minimum values of cloud cover in the summer season are lower for SCANDIA. It can also be noticed that the agreement between SCANDIA and CRU is quite good in the beginning of the studied period. Basically the same pattern as previously found in the comparison with Swedish SYNOP stations (i.e., summertime SCANDIA underestimation and wintertime SCANDIA overestimation) were found. However, for the second half of the period deviations are very large. This is largely caused by lack of available SYNOP observations over the area in the CRU data set (basically now only giving a climatological mean of cloud cover over the area). The higher values of the the summertime minimum of cloudiness for the ISCCP data set were verified to exist also over sea areas in the region (see Karlsson, 2001).

## **5 DISCUSSION**

The ten-year NOAA AVHRR cloud climatology shows that Scandinavian cloud conditions are largely influenced by the existence of the Baltic Sea. Conceptually, the Baltic Sea could be described as acting like a heat sink in the summer season (mainly caused by the springtime supply and accumulation of cold fresh water from melting snow in spring) suppressing convective clouds from forming over sea areas and adjacent land areas. However, the northern

part of the region does not show a similar annual cycle of cloudiness. Here, cloud conditions remain practically the same throughout the year.

The NOAA AVHRR cloud climatology over the Scandinavian region was found to reproduce surface observed cloud climatology within +/- 5 % during all seasons except in winter. As for the SYNOP climatology, no particular trend in cloudiness could be seen over the period. A minimum in cloudiness was indicated in the middle of the period but this was partly exaggerated in the satellite data set due to problems with an inadequate compensation for the degradation of the visible AVHRR channels on the NOAA-12 satellite.

Comparisons with the CRU and ISCCP D2 data sets gave good agreement but SCANDIA showed generally lower cloud amounts in the summer season than the other data sets.

The future use of the SCANDIA cloud climatology will mainly be as a tool for validation of cloud information in climate simulation models (see Jones and Willén, 2001). The data set could be a valuable contribution to the BALTEX (Rashcke et al., 2001) and CLIWANET projects aimed for studies of the water and energy cycle of the Baltic Sea. Results from an improved cloud classification model have recently been compiled within the CLIWANET project (Dybbroe, 2001) and some preliminary results over the entire Baltic Sea drainage area are shown in Figure 2.

## 6 ACKNOWLEDGEMENTS

This work was sponsored by the Swedish National Space Board under contracts Dnr 59/95, Dnr 113/96 and Dnr 152/98.

## 7 REFERENCES

Dybbroe, A., Thoss, A. and Karlsson, K.-G., 2001: Mean cloudiness derived from satellite data over the Baltic Sea drainage basin during CLIWA-NET campaigns, To appear in *Proc of 3<sup>rd</sup> Study Conference on BALTEX, Mariehamn, Finland, 2-4 July, 2001*.

Dybbroe, A., Thoss, A. and Karlsson, K.-G., 2000: The AVHRR & AMSU products of the Nowcasting SAF, *Proc. 2000 EUMETSAT Meteorological Satellite Data Users' Conference, Bologna, Italy, 29 May-2 June 2000*, EUMETSAT, EUM P 29,729-736.

Jones, C. and Willén, U., 2001: The diurnal cycle of clouds and precipitation, To appear in *Proc of 3<sup>rd</sup> Study Conference on BALTEX, Mariehamn, Finland, 2-4 July, 2001*.

Karlsson, K.-G., 1996: Cloud classifications with the SCANDIA model, SMHI Reports on Meteorology and Climatology, No. 67, 36 pp. (Available from SMHI)

Karlsson, K.-G., 1997: Cloud climate investigations in the Nordic region using NOAA AVHRR data, *Theor. Appl. Climatol.*, **57**, 181-195.


Karlsson, K.-G., 2001: A NOAA AVHRR cloud climatology over Scandinavia covering the period 1991-2000, SMHI Reports on Meteorology and Climatology, No. 67, 36 pp. (Available from SMHI)

New, M., Hulme, M. and Jones, P., 2000: Representing twentieth-century space-time climate variability. Part II: Development of 1901-96 monthly grids of terrestrial surface climate, *J. Climate*, **13**, 2217-2238.


E. Raschke, J. Meywerk, K. Warrach, U. Andrae, S. Bergström, F. Beyrich, F. Bosveld, C. Fortelius, L.P. Graham, S.-E. Gryning, S. Halldin, L. Hasse, M. Heikinheimo, H.-J. Isemer, D. Jacob, I. Jauja, K.-G. Karlsson, S. Keevallik, J. Koistinen, A. van Lammeren, U. Lass, J. Launiainen, A. Lehmann, B. Liljebladh, M. Lobmeyr, W. Matthäus, T. Mengelkamp, D. B.

Michelson, J. Napiórkowski, A. Omstedt, J. Piechura, B. Rockel, F. Rubel, E. Ruprecht, A.-S. Smedman, A. Stigebrandt (2001): BALTEX (Baltic Sea Experiment): A European Contribution to Investigate the Energy and Water Cycle over a Large Drainage Basin, in press, to appear in *Bull. Amer. Meteor. Soc.*


Rossow, W. B. and Schiffer, R. A., 1999: Advances in understanding clouds from ISCCP, *Bull. Amer. Meteor. Soc.*, 80, 2261-2287.




**Figure 1** Period mean (1991-2000) of cloud frequency in the Scandinavian area with 4 km horizontal resolution for the months of January, April, July and October.




**Figure 2** Mean cloud frequencies in 10 km resolution over the Baltic Sea drainage basin derived from NOAA AVHRR afternoon passages in September 2000. See text for details.



**Figure 3** The annual course of cloud cover (% -estimated in one-day and five-day intervals) for a position in the southern part of the Baltic Sea (56N, 18.5E).



**Figure 4** Monthly averages of bias errors, RMS errors and correlation coefficients for the entire validation data set in the period 1991-2000.



**Figure 5** Plot of monthly mean of cloud cover (%) over SCANDIA land points for SCANDIA (solid), the ISCCP D2 dataset (dotted) and the CRU data set (dashed) for the period February 1991 until November 1993.

## Climate Parameter Trends in Estonia

Sirje Keevallik

Tartu Observatory, Tõravere 61602 Estonia

In Estonia it has been noticed that during the last decades

- the weather in late winter and spring has become warmer, whereas no significant tendency can be noticed during other seasons;
- the amount of low clouds in March has increased by 1.2...3.2 tenths; this increase is statistically related to the changes in atmospheric circulation;
- the duration of snow cover has shortened.

An extensive analysis has been undertaken to investigate changes in the main weather elements in late winter and spring at Tiirikoja Meteorological Station (58.87°N, 26.95°E) during 1955-1995 and to relate the changes to the trends in the atmospheric circulation. The latter was estimated from wind speed and direction data at two isobaric levels (500 hPa and 850 hPa) recorded at Tallinn Aerological Station. These data permitted to calculate the zonal ( $u$ ) and meridional ( $v$ ) components of wind velocity at both levels. It should be reminded that the zonal velocity component  $u$  is positive when directed to the east and the meridional component  $v$  – when directed to the north.

Linear trends were fitted to time-series of monthly averages of all parameters under consideration. Along the trend lines it was possible to estimate the changes that have taken place during the observation period. These changes and the probability of significance of the respective trend are shown in Table 1 where only these trends have been used which probability of significance is less than 0.1.

*Table 1. Average changes in the meteorological and aerological parameters during 1955-1995 and probability of significance of the trends (P)*

Parameter	February		March		April	
	Change	P	Change	P	Change	P
Temperature	-		5.3 K	0.00	2.9 K	0.00
Monthly precipitation	-		20.5 mm	0.00	-	
Amount of low clouds	-		2.2 tenths	0.01	-	
Snow cover duration (1962-1995)	-8 days	0.01	-10 days	0.05	-	
$u(850)$	4.2 m/s	0.05	3.2 m/s	0.07	-	
$v(850)$	-		3.9 m/s	0.01	-	
$u(500)$	-		-		-	
$v(500)$	-		6.6 m/s	0.01	-	

Table 1 indicates that the most serious changes in meteorological parameters have taken place in March. March has become warmer during the last four decades. Additionally, the amount of precipitation has nearly doubled during the same period and the amount of low clouds has increased by 50%. Besides, data on the ice cover on Lake Peipsi show that during the period of 1921-1975 the average date was April 10 when the ice started to break on the lake. During the period of 1976-1996 this date was approximately two weeks earlier – on March 25.

These changes are statistically related to the changes in the average airflow in the free atmosphere above Estonia. In March the wind speed at the 500 hPa and 850 hPa isobaric levels has increased during the observation period and the average airflow has turned from NWW or NW to SW or SWW. It should be added that such changes in atmospheric circulation above Estonia can be attributed to the intensification of the NAO during the period under consideration only partly.

## The Baltic Sea Ocean Climate System

*By*

*Anders Omstedt*

*Earth Science Centre-Oceanography, Göteborg University, Sweden*

### **1. Introduction**

The objective of the presentation is to highlight the Baltic Sea ocean climate system. The climate system in this connection is defined as the statistical properties of salinity, ice, temperature, sea levels, in- and out-flows to and from the Baltic Sea. Calculations of these parameters will include seasonal and inter-annual means as well as extremes. The number of relevant publications in the area is large and only references to some recent studies will be given.

### **2. Salinity**

The present climate of the Baltic Sea with regard to the salinity and the freshwater budget was analysed by Winsor et al. (2001). In Figure 1, the Baltic Sea mean salinity is shown as 5-year running mean together with the surface salinity in the Bornholm Basin. We notice that the mean salinity of the Baltic Sea has varied between about 5.5 and 6.5 ‰ during the 20th century, with a typical time scale of thirty years. The surface salinity in the southern part of the Baltic Sea is well correlated with the mean salinity of the Baltic Sea (calculated using data from the Gotland Deep). There is no long-term trend found during the century. The figure illustrates that climate control runs must cover several decades, probably up to 100 years, to catch the natural variability of today's climate.

### **3. Ice and temperature**

Some interesting long-term sea ice and temperature time series are available in the Baltic Sea. Jevrejva (2001) has recently presented an analysis of the severity of winter seasons in the northern Baltic Sea based on data from 1529 to 1990. Koslowski and Glaser (1999) presented results from the western Baltic Sea based on a time series from 1501 to 1995. Annual maximum ice extent data for the Baltic Sea are collected by the Finnish Institute of Marine Research and is available from 1720 to present. The influence of atmospheric circulation on the

maximum ice extent in the Baltic Sea was recently analysed by Omstedt and Chen (2001). Figure 2 shows the anomaly from the long-term mean, which indicates that the significant trend earlier identified may be a result of a sudden change in the means. This change can be indicated by a “change point” in the mean of the ice extent series. The change point divides the total series into two periods of approximately equal length, with the transition corresponding to the end of little ice age and the beginning of industrialisation. Any studies of the long-term change need to consider the little ice period, a period which also can be found in other parameters as for example the in the Stockholm sea level time series (Ekman, 1999).

#### **4. Sea levels**

The countries around the Baltic Sea are still adjusting to the latest glaciation, which ended about 10 000 years ago. The postglacial uplift from the southern to the northern Baltic varies today between -1 to 8 mm/year (Ekman, 1996). Due to the salinity distribution in the Baltic Sea the mean sea level drops from the Bothnian Bay to the Skagerrak by about 35-40 cm (Ekman and Mäkinen, 1996 and Carlsson, 1998). Added on these mean sea level states large regional, seasonal and inter-annual variations are observed.

The water exchange through the Baltic Sea entrance area is mainly forced by the sea level differences between the Kattegat and the Baltic Sea and is strongly reduced due to friction. For time scales of months and larger the zonal wind and the basin mean sea level of the North Sea are the driving mechanisms for the Baltic Sea mean level ( Wroblewski, 1998, Gustafsson and Andersson, 2001). The strong coupling between large scale atmospheric circulation and Baltic Sea levels has recently been analysed by Andersson (2001) and is illustrated in Figure 3.

#### **5. In- and out-flows**

From sea level, runoff and net-precipitation data one can calculate the instantaneous barotropic transports through the Danish Straits. Other methods exists such as direct measurements of the flows but for longer time series one need to use sea level variations across the Baltic entrance area to calculate the through flows. This method has been applied by Winsor et al (2001) when studying the in and out-flows during the last century. In Figure 4 the estimated yearly means of the outflow from the Baltic Sea together with a 5-year running mean are shown. The mean value of this flow,  $80 \times 10^3 \text{ m}^3 \text{ s}^{-1}$ , is about 5 times larger than the river runoff, which is  $14 \times 10^3 \text{ m}^3 \text{ s}^{-1}$ . The standard deviation is  $3500 \text{ m}^3 \text{ s}^{-1}$ , which is about twice that

for the river runoff. Variations over a few years dominate but there are also variations over several decades. There is no significant trend, when looking at the whole period, though there is a general decrease from the mid 1940s to the mid 1970s.

Figure 5 shows the estimated volume transport during all inflow events. The average inflow-event transport is indicated. We see a rather even distribution with time. The frequency distribution related to this is shown in Figure 6. The events with the largest inflow volumes can be expected to have carried extra ordinary high salinity and thus have been responsible for renewal of the deepest basin water. An, at the moment, arbitrary chosen limit of 160 km<sup>3</sup> defining extreme inflows is inserted in Figure 5 (dashed line). Matthaus and Franck(1992) presented other ways to characterise major Baltic Sea inflows.

### **Acknowledgements**

This work is a part of the GEWEX/BALTEX programme and has been financed by the Swedish Research Council under the contract G 600-335/2001.

### **References**

- Andersson, H., C. (2001) Influence of long-term regional and large-scale atmospheric circulation on the Baltic sea level. Tellus, in press.
- Carlsson, M. (1998). The mean sea level topography in the Baltic Sea determined by oceanographic methods. Mar. Geod 21, 203-217.
- Ekman, M. (1996). A consistent map of the postglacial uplift of Fennoscandia. Terra Nova, 8, 158-165.
- Ekman, M. (1999). Climate changes detected through the world's longest sea level series. Global and Planetary Change, 21, 215-224.
- Ekman, M. and Mäkinen (1996). Mean sea surface topography in the Baltic Sea and its transition area to the North Sea: a geodetic solution and comparisons with oceanographic models. J. Geophysical Res., 101, 11993-11999.
- Gustafsson, B., G., and H., C., Andersson (2001). Modeling the exchange of the Baltic Sea from the meridional atmospheric pressure difference across the North Sea. J. Geophysical Res., 106, C9, 19731-19744.
- Jevrejeva, S. (2001). Severity of winter seasons in the northern Baltic Sea between 1529 and 1990: reconstruction and analysis. ClimateRes., 17, 55-62.
- Koslowski, G. And R., Glaser, 1999. Variations in reconstructed winter severity in the western Baltic from 1501 to 1995, and their implications from the North Atlantic Oscillation. *Climate Change*, 41, 175-191.

Matthäus, W., and H. Franck. (1992) Characteristics of major Baltic inflows - a statistical analysis. *Cont. Shelf. Res.* 12, 1375-1400.

Omstedt, A., and D., Chen (2001). Influence of atmospheric circulation on the maximum ice extent in the Baltic Sea. *J. Geophysical Res.*, 106, C3, 4493-4500.

Winsor, P., J. Rodhe, and A. Omstedt, Baltic Sea ocean climate: an analysis of 100 yr of hydrographic data with focus on the freshwater budget, *Clim. Res.*, 18, 5-15, 2001.

Wroblewski, A. (1998). The effect of the North Sea on oscillations of the mean monthly sea levels in the Baltic Sea. *Cont. Shelf. Res.*, 18, 5001-514.




Figure 1. Surface salinity in the Bornholm Basin (BY5) together with the mean salinity of the Baltic Sea calculated from the freshwater content. Both series are 5-year running means. From Winsor et al (2001)




Figure 2. The anomaly ( $A_i - A_{\text{mean}}$ ) of the maximum ice extent, with the change point (circle), 30-years running mean (thick line), and the means of the two subintervals divided by the change point (dashed lines). From Omstedt and Chen (2001).




Figure 3. The winter (JFM) mean of the Baltic sea level and the NAO index for the period 1825-1997, smoothed with a 3-year running mean. From Andersson (2001).




Figure 4. Calculated annual mean outflow from the Baltic Sea. From Winsor et al.(2001).




Figure 5. Scatter plot of all modelled consecutive inflow events. From Winsor et al. (2001).




Figure 6. Distribution of inflow events. From Winsor et al. (2001).

## **Prediction of Regional scenarios and Uncertainties for Defining European Climate change risks and Effects – PRUDENCE**

by

*Jens Hesselbjerg Christensen, DMI, Copenhagen, Denmark*

### **Problem to be solved:**

European decision-makers in government, non-governmental organisations (NGOs), and industry as well as the general public need detailed information on future climate. In this way it becomes possible to evaluate the risks of climate change due to anthropogenic emissions of greenhouse gases. Projections of future climate change already exist, but are deficient both in terms of the characterisation of their uncertainties and in terms of their regional detail. To date, the assessment of potential impacts of climate change has generally relied on projections from simple climate models or coarse resolution Atmospheric-Ocean General Circulation Models (AOGCMs), neither capable of resolving spatial scales of less than ~300km. This coarse resolution precludes the simulation of realistic extreme events and the detailed spatial structure of variables like temperature and precipitation over heterogeneous surfaces e.g. the Alps, the Mediterranean or Scandinavia. Simple models include, at best, a limited physical representation of the climate system.

### **Scientific objectives and approach:**

PRUDENCE is a European-scale investigation with the following objectives:

- a) to address and reduce the above-mentioned deficiencies in projections;
- b) to quantify our confidence and the uncertainties in predictions of future climate and its impacts, using an array of climate models and impact models and expert judgement on their performance;
- c) to interpret these results in relation to European policies for adapting to or mitigating climate change.

Climate change is expected to affect the frequency and magnitude of extreme weather events, due to higher temperatures, an intensified hydrological cycle or more vigorous atmospheric motions. A major limitation in previous studies of extremes has been the lack of: appropriate computational resolution - obscures or precludes analysis of the events;

long-term climate model integrations - drastically reduces their statistical significance;

co-ordination between modelling groups - limits the ability to compare different studies.

These three issues are all thoroughly addressed in PRUDENCE, by using state-of-the-art high resolution climate models, by co-ordinating the project goals to address critical aspects of uncertainty, and by applying impact models and impact assessment methodologies to provide the link between the provision of climate information and its likely application to serve the needs of European society and economy.

### **Expected impacts:**

PRUDENCE will provide a series of high-resolution climate change scenarios for 2071-2100 for Europe, characterising the variability and level of confidence in these scenarios as a function of uncertainties in model formulation, natural/internal climate variability, and alternative scenarios of future atmospheric composition. The project will provide a quantitative assessment of the risks arising from changes in regional weather and climate in different parts of Europe, by estimating future changes in extreme events such as flooding and windstorms and by providing a robust estimation of the likelihood and magnitude of such changes. The project will also examine the uncertainties in potential impacts induced by the range of climate scenarios developed from the climate modelling results. This will provide useful information for climate modellers on the levels of accuracy in climate scenarios required by impact analysts. Furthermore, a better appreciation of the uncertainty range in calculations of future impacts

from climate change may offer new insights into the scope for adaptation and mitigation responses to climate change. In order to facilitate this exchange of new information, the PRUDENCE workplan places emphasis on the wide dissemination of results and preparation of a non-technical project summary aimed at policy makers and other interested parties.

**Appendix 3: BSSG meeting agenda**

**12<sup>th</sup> BALTEX SSG Meeting**  
 at  
**The Royal Netherlands Meteorological Institute - KNMI**  
**DeBilt, The Netherlands**  
**12 – 14 November 2001**  
**Buys Ballot Meeting Room**

**Monday, 12 November 2001**

- 14.00** Workshop on „Climate Variability and Change in the Baltic Sea Area“  
*See separate workshop agenda*
- 18.00** Closing of the workshop

**Tuesday, 13 November 2001****9.00****Item 1:**

Welcome by the Host and the Chairman (Komen, van Ulden, Graßl)

**Item 2:**

Amendment and Approval of the Agenda

**Item 3:**Approval of the Minutes of the 11<sup>th</sup> SSG Meeting and the informal SSG meeting held in Mariehamn, 5 July 2001**Item 4:**

Reports from the SSG chairman and the head of the BALTEX Secretariat (IBS) on intersessional events (Graßl, Isemer)

**Item 5:**BALTEX special issue for ‘Boreal Environmental Research’: Approval of a candidate list of journal articles on the 3<sup>rd</sup> Study Conference presentations (all)**10.00****Item 6:**

Analysis of BALTEX mid-term review, initiation of necessary actions (all)

*Break***11.30****Item 7: BRIDGE**

- CLIWA-NET activities during EOP1, EOP3 and EOP4 (van Lammeren)
- The ocean part of *BRIDGE* (Omstedt)
- Consequences for forthcoming EOPs (all)
- Data Handling Policies (all)
- Evaluation Plans (all)

*Lunch break*

**Tuesday, 13 November 2001 (continued)****14.00****Item 8:**

The Co-ordinated Enhanced Observing Period of GEWEX (CEOP)

- Presentation of CEOP Goals and Objectives (Graßl)
- The BALTEX Contribution to CEOP (all)
- Establishment of a BALTEX CEOP Task Force (all)

*Break***15.30****Item 9:**

BALTNET and the Revision of the BALTEX Science Plan

- Report by the Director of IBS (Isemer)
- Discussion of Workshop Themes and Schedules (all)
- Designation of Workshop Directors (all)
- Science Plan Outline (all)
- Designation of Lead Authors for Chapters of the Science Plan (all)

**Item 10:**

Composition and Size of the BALTEX SSG

- Introduction (Graßl)
- Strategy for a Change (all)
- SSG, executive ? (all)

**18.30***Closing of Tuesday's session***Wednesday, 14 November 2001****9.00****Item 11: Working Group reports**

- Radar WG (Alestalo)
- WG on Energy and Water Cycles, WGEWC (Omstedt, Jacob)
- Tasks for the WGs [Radar, *BRIDGE*, EWC] (all)

**Item 12: Data Centre reports**

- BMDC (Hafner)
- BHDC (Bergström)
- BODC (Alenius)
- BRDC (Bergström)

*Break***11.30****Item 13: Reports by country**

Review on ongoing national BALTEX projects and funding situation (short, 5 minutes each at maximum): Denmark (Rosbjerg), Sweden (Omstedt), Finland (Alestalo), Estonia (Keevallik), Latvia (Leitass), Lithuania (Korkutis), Russia (Vuglinsky), Belarus (Skuratovich), Poland (Piechura), Germany (Graßl)

**Wednesday, 14 November 2001** *(continued)*

**Item 14:** Date and Place of the Next Meeting

**Item 15:** Any other Business

**13.00** Closing of the BSSG meeting

**Appendix 4: Meeting participants**

Priv.-Doz. Dr. Gerhard **Adrian** gerhard.adrian@dwd.de  
Deutscher Wetterdienst  
Kaiserleistraße 42  
63067 Offenbach  
Germany

Dr. Pekka **Alenius** alenius@fimr.fi  
Finnish Institute of Marine Research  
Oceanographic Data Base  
P.O. Box 33, Asiakkaankatu 3  
00931 Helsinki  
Finland

Dr. Mikko **Alestalo** mikko.alestalo@fmi.fi  
Finnish Meteorological Institute  
Meteorological Research  
P.O. Box 503, Vuorikatu 24  
00101 Helsinki  
Finland

Prof. Dr. Sten **Bergström** sten.bergstrom@smhi.se  
Swedish Meteorological and Hydrological Institute  
Research and Development  
Folkborgsvägen 1  
60176 Norrköping  
Sweden

Prof. Dr. Hartmut **Graßl** grassl@dkrz.de  
Max-Planck-Institut für Meteorologie  
Bundesstraße 55  
20146 Hamburg  
Germany

Dr. Sven-Erik **Gryning** sven-erik.gryning@risoe.dk  
Risø National Laboratory  
Wind Energy and Atmospheric Physics Department  
P.O. Box 125, Building 125  
DK-4000 Roskilde  
Denmark

Sabine **Hafner** Sabine.Hafner@dwd.de  
Deutscher Wetterdienst  
BALTEX-Datenzentrum  
Postfach 10 04 65  
63004 Offenbach/Main  
Germany

- Dr. Hans-Jörg **Isemer** isemer@gkss.de  
GKSS Forschungszentrum Geesthacht GmbH  
Max-Planck-Str. 1  
21502 Geesthacht  
Germany
- Dr. Daniela **Jacob** jacob@dkrz.de  
Max-Planck-Institut für Meteorologie  
Bundesstraße 55  
20146 Hamburg  
Germany
- Dr. Sirje **Keevallik** sirje.keevallik@ebs.ee  
Estonian Business School  
Lauteri 3  
EE-10114 Tallinn  
Estonia
- Prof. Dr. Z.W. **Kundzewicz** zkundze@man.poznan.pl  
Polish Academy of Sciences  
Research Centre of Agr. and Forest Envir.  
ul. Bukowska 19  
PL-60-809 Poznan  
Poland
- Dr. Andreas **Lehmann** alehmann@ifm.uni-kiel.de  
Institut für Meereskunde an der Universität Kiel  
Düsternbrooker Weg 20  
24105 Kiel  
Germany
- Prof. Dr. Anders **Omstedt** [Anders.Omstedt@gvc.gu.se](mailto:Anders.Omstedt@gvc.gu.se)  
Göteborg University  
Earth Sciences Center-Oceanography  
Box 460  
S-40530 Göteborg  
Sweden
- Dr. Jan **Piechura** piechura@iopan.gda.pl  
Polish Academy of Sciences  
Institute of Oceanology  
Powstanców Warszawy 55  
PL-81-712 Sopot  
Poland
- Prof. Dr. Clemens **Simmer** csimmer@uni-bonn.de  
Rhein. Friedrich-Wilhelms-Universität  
Meteorologisches Institut  
Auf dem Hügel 20  
53121 Bonn  
Germany

**Dr. André van Lammeren**

The Royal Netherlands Meteorological Institute - KNMI -  
Postbus 201  
NL-3730 AE de Bilt  
The Netherlands

lammeren@knmi.nl

**Dr. Aad van Ulden**

The Royal Netherlands Meteorological Institute - KNMI -  
Postbus 201  
NL-3730 AE de Bilt  
The Netherlands

vanulden@knmi.nl

**Appendix 5: Minutes of the informal BSSG meeting, held 5 July 2001**

**Informal meeting of the BALTEX Science Steering Group  
during the Third Study Conference on BALTEX  
Mariehamn, Finland  
Wednesday, 5 July 2001, 16:00-17:30**

Participants (in order of seating):

Anders Omstedt, Jouko Launiainen, Jarmo Koistinen, Mikko Alestalo, Frank Beyrich, Sabine Hafner, Angela Lehmann, Andreas Lehmann, Clemens Simmer, Hans-Jürgen Donath, Aad von Ulden, Jan Piechura, Zbigniew Kundzewicz, Piotr Kowalczak, Ann-Sofi Smedman, Andre van Lammeren, Sven-Erik Gryning, Inese Jauja, Dan Rosbjerg, Daniela Jacob, Ehrhard Raschke, Sten Bergström, Brian Wilkinson, John Roads, Pekka Alenius, Valery Vuglinsky, Daniel Michelson.

Anders Omstedt chaired the meeting, Jens Meywerk took the notes

### Agenda

- Review Process during the conference
- Report of the Secretariat
- CEOP Activities
- Report of the Working Group on Energy and Water Cycles.
- Summer School
- 6<sup>th</sup> Framework Program of EU
- Miscellaneous

### Review Process at the conference

Ehrhard Raschke gave a brief introduction on why a review process has been initiated for the conference. The most important reason is to have external specialists help the Science Steering Group keep BALTEX on track, to shape the program and to find possible gaps in BALTEX according to its scientific objectives. A brief written report is expected from a consortium of 4 volunteers from outside the BALTEX community consisting of Brian Wilkinson, Ronald Stewart, John Roads and Christian Mätzler. A copy of the Scientific Plan, BRIDGE Implementation Plan, Proceedings of the Second and Third Study Conference and the most recent accepted BALTEX overview paper in the Bulletin of the American Meteorological Society has been given to the reviewers as material for the review process.

Brian Wilkinson gave a brief, preliminary view of what the reviewers have found so far and whether the original objectives have been reached so far.

The reviewers found the following strength in the BALTEX program:

- It is a multidiscipline program with many activities closely bound together
- It is built on capacity with new science and products
- It exhibits a significant contribution to the World Climate Research Program
- It includes many numerical models
- It is part of international programs like GEWEX and CEOP
- It exhibits a great opportunity to share data within the community of meteorologists, hydrologists and oceanographers.

Major weaknesses were found to be:

- The Science Plan is not up to date.
- Some projects are only marginally relevant to the BALTEX science.
- There is a reduction in focus in some projects.

#### Recommendations from the reviewers for the future

There is a need to develop strategic plan objectives and applications need to be defined. The big issues to attract decision makers. Also, a science manager is needed if a proposal is sent to the 6<sup>th</sup> Framework Program of EU. EU will explicitly call for programs on water cycle issues. 6FP is looking for big programs with 25-40 participants and a financial volume of 30-35 million Euros. BALTEX has the potential for such big programs, since the infrastructure is already in place, like an international secretariat, data centers, co-operations between about 50 institutions.

To prepare for a big program proposal during 6FP they recommend to send a Thematic Network proposal to EU by 15 October this year. This would already draw attention to BALTEX at the Commission and if successful would perhaps flatten the road for the big proposal to 6FP. Many parts of BALTEX are fully in line with EC wishes.

The reviewers also recommended to look through the Interim Memorandum of Understanding (ImoU) signed in 1998 by 50 participants from 14 countries whether all of the contributions are focused enough and to avoid a diversion from the scientific objectives. Rejecting single projects, however, might be a very difficult task due to political reasons.

The links regarding transferability studies with other Continental Scale Experiments in the frame of GEWEX needs to be intensified. A better connection to European areas like the Mediterranean should be established as well.

The BALTEX Oceanographic Data Center needs to be improved.

The first phase of BALTEX should be concluded now with a legacy for that first phase including all conferences, papers etc.

#### Report of the secretariat

Jens Meywerk will leave the secretariat for another research position at GKSS starting in August. We need a replacement urgently. Graßl promised to seek funding and needs to advertise the secretariat to the GKSS bosses. As a backup Graßl could be able to establish the secretariat at MPI if GKSS is not willing to continue.

#### CEOP

For the Coordinated Enhanced Observing Period of the GEWEX CSEs BALTEX would need a new representative in the GEWEX Hydrometeorology Panel (GHP). We would need suggestions by the BALTEX Science Steering Group meeting in November.

#### 1<sup>st</sup> Meeting of the WGEW

During the first meeting of the newly formed Working Group on Energy and Water Cycles it has been agreed upon to write up a text book containing a summary of major BALTEX project outcomes. Major achievements from PIDCAP, BASIS, PEP, DIAMIX and NEWBALTIC are planned to be integrated. Even NOPEX, not being part of BALTEX should be integrated into that textbook. The book is planned to be on the Ph.D. student level. A network proposal (15 October) could serve as funding source for this task. The first version of the book could be tested at a summer school. Timetable: a 1. Version should be drafted in fall 2002. Daniela Jacob will take the lead.

### Summer school in Riga

A BALTEX summer school in Riga could be held in 2002/2003. Money could be applied for from NATO as done before. Dan Rosbjerg is member of a NATO committee deciding about funds for summer schools. The next meeting will be in October 2001. He will raise this issue at that time.

### 6FP

The presentation by Isemer on Monday morning clearly showed that there are golden opportunities for BALTEX within the 6FP of EU. Since the needed infrastructure is already in place and there are numerous participants from all over the Baltic Sea drainage basin are taking part this would be a great opportunity for that big program.

It has been decided to follow this strategy but first prepare a Concerted Action/Thematic Network Proposal and send it to EU by 15 October 2001 to flatten the way for 'the big 6FP shot'. Not all of the ImoU contributions will go into that network proposal. Graßl agreed (even though not attending) to take the lead for the Concerted Action Proposal in October.

**Appendix 6: BALTEX Mid-term Review Panel Members**

Dr. Mikko Alestalo  
Finnish Meteorological Institute  
Meteorological Research  
P.O Box 503, Vuorikatu 24  
00101 Helsinki  
Finland  
mikko.alestalo@fmi.fi

Prof. Dr. Christian Mätzler  
University of Bern  
Institute for Applied Physics  
Sidlerstr. 5  
CH-3012 Bern  
Switzerland  
christian.matzler@iap.unibe.ch

Prof. Dr. John Roads  
University of California  
Scripps Institution of Oceanography  
La Jolla, CA 92093-0224  
San Diego 0224  
USA  
jroads@ucsd.edu

Dr. Ronald E. Stewart  
Atmospheric Environment Service Climate Processes & Earth Observation Division  
4905 Dufferin Street  
Downsview, Ontario M3H 5T4  
Canada  
ron.stewart@ec.gc.ca

Prof. Dr. W. Brian Wilkinson  
Vine Cottage  
Ramsbury  
Union Street  
Wiltshire SN8 2PR  
United Kingdom  
gb.wilk@dial.pipex.com

## **Appendix 7: BALTEX Mid-term Review Document**

### **BALTEX Mid Term Review: Review Panel Report**

#### **Background**

The Baltic Sea Experiment [BALTEX] was established in 1992 to measure and model the energy and water cycles over the Baltic Sea and its associated land drainage basin. Its purpose is to provide an improved understanding of the processes controlling the fluxes of water and energy into and out of the entire basin and to use such knowledge in coupled atmospheric, hydrological and ocean models for better weather forecasting and climate prediction. Such scientific progress is also applicable to other issues such as the fluxes of carbon, flood forecasting and pollution studies. BALTEX is one of five Continental Scale Experiments [CSEs] of the World Climate Research Programme's [WCRP] Global Energy and Water Cycle Experiment [GEWEX]. There are 14 European countries participating in BALTEX, involving 50 research groups.

The BALTEX Scientific Steering Group considered that an independent mid-term review of BALTEX was necessary. The Third Study Conference on BALTEX was to be held at Mariehamn, Åland, Finland between 2 and 6 July 2001. Many of the research results were to be presented at the Conference so the four independent scientists undertaking the Review were invited by the Steering Group to attend and to offer a brief report. Mikko Alestalo of the Finnish Meteorological Institute was also part of the Review Panel. During the Conference, the Panel held discussions with members of the Scientific Steering Group, the Secretariat and participating scientists. Following these discussions the Panel met to consolidate their views and presented their preliminary findings to the meeting of the Scientific Steering Group on 4 July. A number of documents had also been provided to assist the Panel eg. BALTEX Initial Implementation Plan 1995; BRIDGE Strategic Plan 1997 etc.

#### **Objectives and Achievements**

The primary scientific objectives of BALTEX are to:

- develop and validate coupled atmospheric/ocean/land numerical models for the Baltic Sea but which also have applicability to other regions;
- improve understanding of the controlling physical processes;
- examine the regional climate and its dependence on global climate systems.

The Review Panel considers that the BALTEX community has made significant progress in addressing these objectives. They noted that all GEWEX programmes, including BALTEX, have been successful in contributing to significant improvements to the ECMWF models. Without such combined efforts in these large scale experiments the progress of numerical weather prediction would not have reached its present capability. A paper by Raschke et al. [2001] in the Bulletin of the American Meteorological Society identifies the many achievements of BALTEX. It also offers a first water budget estimate for the basin for the period August to October 1995. Other annual water budget estimates were presented during the Conference [eg. by Hennemuth & Jacob] which gave large error bars on the estimates. Clearly there is a need for continuation of all the elements of the BALTEX project [ie. process studies, data collection, modelling] if such uncertainties are to be reduced.

## Strengths

The Panel considers that BALTEX has made many scientific advances but these have only been possible through:

- establishment of a multi-disciplinary approach to address the scientific issues - oceanographers, atmospheric scientists, hydrologists etc are now working very actively together. Achieving this has not been easy since with 14 countries involved and there have been financial, cultural, political and language barriers to overcome.
- building new capacity - the existence of the project has facilitated acquisition of new scientific infrastructure [e.g GPS, radar systems etc]. Many examples of this, particularly in relation to process studies, were presented at the Conference.
- the involvement of the marine science community - this is the only CSE with a major marine element. The interaction of oceanographers with atmospheric and hydrological scientists has relevance in a wider context.
- the availability of a wide range of atmospheric, oceanographic and hydrological models - the atmospheric models [HIRLAM/Nordic countries and HRM/GKSS] are in wide use, under constant development and well tested for weather prediction. The principal hydrological model, the SMHI model, is well known and is used operationally. The area distributed hydrologic model, developed by Lohmann, is used for complementary studies by German researchers. There are several Baltic Sea oceanographic models in use. There have been a number of initiatives which couple the atmosphere, ocean, land [hydrological] models.
- willingness to exchange data and the opportunity to create data bases

Because of these and other strengths BALTEX is now making a major contribution to WCRP. The Panel was also pleased that the BALTEX Science Committee will be (a) bringing together a variety of researchers to address specific topics with well defined end products and (b) producing additional synthesis articles to describe progress in meeting the BALTEX scientific goals.

## Weaknesses

While the Panel fully recognizes the achievements of BALTEX and its many strengths they perceive a number of weaknesses which need to be addressed.

The objectives of the Science Plan are clearly defined but are at a high level and are not always uppermost for Institutions which have been carrying out projects to which a BALTEX 'label' has been attached. This is understandable in that an individual Institution may have to offer some projects with objectives not always fully compatible with those of BALTEX in order to secure acceptability within its own or its national portfolio. The net effect of this for BALTEX has been that project drift has occurred. The science strategy therefore needs to be reconsidered and the knowns, unknowns and strategic research priorities identified. All existing and future projects which are relevant to BALTEX could then be positioned clearly by the Scientific Steering Group or its Working Groups either as 'core' or 'supporting' projects. This should help to focus the science and avoid inclusion of projects which may be excellent scientifically but peripheral to BALTEX themes.

**Recommendations:**

With respect to specific areas of the Science Programme:

- a good start has been made in comparing a number of hydrological models as part of a GEWEX PILPS study. This approach needs to be extended to both the atmospheric and, in particular, the oceanographic models.
- some excellent atmospheric, oceanographic and hydrological process field experiments have and are being undertaken within BALTEX but the results from these are not being taken up sufficiently quickly by the modelling community.
- due to internal agreements within the BALTEX programme there is good availability of some but not all data. The Panel recognizes that there are certain commercial restrictions to data output but ways to provide a free and open exchange within the international research community are needed to take full advantage of BALTEX. It is understood that, because there is no centralized marine data base, knowledge of the availability of and access to such data sets is not always easy. The arrangements need to be improved.
- In spite of these difficulties with data the synergy achieved through collaboration between disciplines has been remarkable. Remote sensing data, on the other hand, appears to be problematic in terms of quantitative assessments for the majority of BALTEX scientists. Nevertheless good progress has been achieved in precipitation measurements over the entire Baltic region through the use of a well coordinated radar network supported by complementary information from satellite data etc. More quantitative use of remote sensing data is needed in assessing dynamic processes, cloud water, temperature [especially land and sea surfaces], snow cover and aerosols. All of these are relevant for the determination of water and energy budgets.

**The Future**

The Review Panel considers that the original scientific objectives are still valid but may need extending so as to reflect more explicitly the needs of user groups beyond the WCRP science community. In this regard it is encouraging to note that the Helsinki Commission HELCOM is showing an interest in BALTEX. The Commission is well placed to provide guidance which would be helpful in identifying end-user benefits and societal relevance.

In the Panel's opinion one important legacy of BALTEX would be the future use of its data bases by the international research community to further develop models and gain additional insight into water and energy processes and the development of hydro-climatological models. Another legacy would be the transfer of the regional hydro-climatic modelling knowledge to other European and global regions [possibly to other climatically similar and/or different CSE regions]; some model exchange experience has already been gained with MAGS. BALTEX is in an excellent position to do this. An initial step could be an invitation to other CSEs to test their modelling capability over the BALTEX area during a well documented period such as PIDCAP or BRIDGE.

All of these activities would be important steps towards increasing the reliability of global water and energy budgets.

It is further suggested that the Scientific Steering Group identifies two or three 'big issues' relevant to users i.e. those issues which should attract the attention of national governments, the European Union, commercial interests and the general public. Such big issues may be concerned with water resources, flooding, water quality etc. However it is not the Panel's role to make firm recommendations - this is the task for the BALTEX community, possibly in collaboration with the GEWEX and WCRP Committees.

### **Management and Funding**

The Panel noted that over the next few weeks there are to be changes in membership of the Scientific Steering Group and the Secretariat. Such changes will be occurring at a particularly critical time for BALTEX. The Committee and the Secretariat are to be complimented on the excellent progress made over the last five years and it is essential for this multi-national programme that their strong coordinating role is maintained. The Panel suggests that any changes are effected quickly. With respect to the Secretariat, a Project Manager and a Chief Scientist should be appointed on a full-time basis as soon as possible.

Funding for BALTEX to date has come predominantly from national governments with some support from the EU for research projects. The Panel fully recognizes the major contributions in terms of funding, resources and infrastructure by some national governments. As a result BALTEX has given excellent value for money and the Panel hopes that this support will continue and be extended in the future. However if a strengthened coordinating role is to be established it would be appropriate to look to the EU for support in this respect. The EU has recently outlined its strategy for European Research in its New European Programme 2002 - 2006 and has developed this within the context of a European Research Area. BALTEX has many of the elements which should attract funding from the EU i.e.

- it is addressing one of the EU Priority Themes for research [Sustainable Development and Global Change];
- it has a major 'network of excellence' in place;
- it is completing the observational phase of BRIDGE and is linked with the internationally coordinated CEOP period; these may represent two possible focal points for such an effort;
- five EU member states and several accession countries are involved in the programme;
- its science has relevance to Europe well beyond the geographical area of the Baltic drainage basin.

The Panel suggests that the BALTEX community makes a coordinated bid for support under the New Framework Programme. There are also opportunities to make a preliminary bid into the October 2001 round of the Fifth Framework Programme and this should also be considered.

### **Summary**

The BALTEX community has made significant progress in addressing the Programme's scientific objectives. All GEWEX programmes, including BALTEX, have contributed to major improvements in weather forecasting models.

A first water budget estimate for the basin has been made but there is need to continue all elements of the project so that the uncertainties in estimates of energy and water storage and fluxes can be reduced.

BALTEX has many strengths. In particular it has

- a well established, multi-disciplinary research community ;
- a strong science and infrastructure capacity;
- a wide range of modelling experience encompassing all relevant disciplines;
- some excellent centralized data bases.

Some project drift has occurred and there is thus a need to review the science strategy and objectives. All existing and future projects relevant to BALTEX should be designated by the Scientific Steering Group as 'core' or 'supporting' projects. This would help to improve the Programme's focus.

- A GEWEX PILPS type comparative study should be undertaken on the atmospheric and oceanographic models.
- A mechanism is needed so that the results from process experiments may be made more rapidly available for use by the modelling community.
- A means of providing free exchange of data within the international research community should be explored.
- There should be more quantitative use of remote sensing data.
- The relevance of the hydro-climatic modelling to other European and global regions should be examined.
- The Scientific Steering Group should identify 2 or 3 'big issues' of relevance to a wide user community.
- All weather, ocean and hydrological services in the BALTEX area and all other BALTEX members should clearly express the gains they have acquired through BALTEX and the gains they expect to realize in the future.
- Proposed changes in the management and committee structures should be effected quickly and a Project Manager and a Chief Scientist should be appointed as soon as possible.

BALTEX has given excellent value for money and it is hoped that national funding support will continue and be extended. It would strengthen coordination within BALTEX if research funding could be secured from the EU. There are many elements of BALTEX which should be attractive to the EU research programme.

RON STEWART, CHRISTIAN MATZLER, MIKKO ALESTALO, JOHN ROADS, BRIAN WILKINSON

**Appendix 8: BALTEX Mid-term Review Recommendations Summary**Summary of BALTEX mid term review recommendations

1. Identify „core“ versus „supporting“ projects;
2. Extend model intercomparison initiatives to atmospheric and ocean models (such as PILPS for hydrological models);
3. Strengthen rapid knowledge exchange between field experiments and modelling community;
4. Improve data exchange policies (towards unrestricted and comprehensive exchanges within the entire science communities);
5. Strengthen transferability measures (e.g. examine the relevance of BALTEX models for other European and global regions, such as the GEWEX CSEs);
6. Make more quantitative use of remote sensing data;
7. The SSG to identify two or three “big issues” relevant to users;
8. Hydrometeorological Services and all BALTEX institutions to clearly express their past and expected future gains acquired through BALTEX;
9. Go for EU financial support in FP5 (network) and FP6 (integrated project(s));
10. Strengthen co-ordination measures (BALTEX Secretariat, project manager, chief scientist)

## **Appendix 9: CLIWA-NET Summary**

By André van Lammeren, KNMI

Details on CLIWA-NET may be found at <http://www.knmi.nl/samenw/cliwa-net>.

### **Abstract**

Global observations are important for detecting climate change, understanding the present climate and predicting climate variability. Such observations, integrated into models provide immediate benefits to society in the form of improved forecasts of weather and climate. Clouds are a high priority problem for the planned Global Climate Observing System and for atmospheric models (GCM's and weather forecast).

CLIWA-NET focuses on observations of cloud liquid water and vertical structures, and evaluation/improvement of parameterisations. A prototype of a European cloud observing system will be established. CLIWA-NET co-ordinates the use of existing, mostly operational, ground-based microwave radiometers and profiling instruments. The network data will be integrated with satellite estimates of cloud water. Based on these observations cloud parameterisations will be evaluated/improved.

The project is carried out in co-ordination with BALTEX.

### **Objectives**

Contribute to the development and implementation of the Global Observing System with a focus on cloud observations.

- Implementation of a prototype of a European Cloud Observation Network. This network might also serve as an operational validation system for current and future satellite cloud missions (e.g. MSG, METOP, ENVISAT, CLOUDS);
- Development of an adequate observing system for the detection of icing conditions for aircraft;
- Objective evaluation and improvement of state-of-the-art cloud parameterisations for climate and weather forecast models, with a focus on integrated cloud liquid water and vertical structure of clouds;
- Design of a "low cost" microwave radiometer in co-operation with industry (SME);
- Contribute to BALTEX/BRIDGE.

### **Description of the work**

The CLIWA-NET project establishes a prototype of a European cloud observing system by co-ordinating the use of existing, ground-based passive microwave radiometers and profiling instruments. In total 12 stations within the BALTEX modelling area will contribute to this network. An unprecedented microwave radiometer calibration campaign will be organised in combination with a regional network (100x100 km<sup>2</sup>). The data from the ground-based remote sensing instruments will feed high quality cloud information, with high temporal but poorly spatial resolution, into the calibration of satellite-based estimates of cloud water content with high spatial resolution. New procedures will be developed to fully exploit the synergy.

The combination of vertical profiles of cloud water and temperature information will enable an accurate detection of super cooled water layers. These layers are responsible for in-flight icing, which is considered to be one of the major risks in today's aviation.

The retrieved CLIWA-NET data-sets are used for an objective evaluation of the performance of state-of-the-art cloud parameterisation schemes. The focus will be on liquid water path (LWP) and vertical structure of cloud amount and cloud water. Three lines of research are pursued:

- evaluation of cloud related output from leading European atmospheric models
- investigation of the sensitivity of model cloud parameters to the employed horizontal grid spacing in the meso-scale range from (1-10 km)
- to develop/improve/test cloud parameterisations and underlying assumptions.


The cost and complexity of the available microwave radiometers presently hamper the implementation of an operational network. For this reason, the design of a low-cost operational microwave radiometer by a commercial company is included in this project.

The end users organised in the "CLIWA-NET user's advisory group" will provide suggestions on, and judge the social-economic aspects of the project.

### **Milestones and expected results**

The 5 CLIWA-NET workshops and the observational periods are important milestones.

- Prototype of a European Cloud Observation Network.
- Evaluation of assumptions used in cloud parameterisations. Improved formulations will be recommended.
- Design of a low cost microwave radiometer.
- A well maintained and accessible web site for internal and external use.
- Development of an operational validation system for current and future satellite cloud missions.



**Figure 1:** Location of the ground-based stations participating in the BAL TIC Area Cloud Network (see Table 1). The area for which the modelling studies within CLIWA-NET are performed incorporates the shown BALTEX modelling area. The purple line indicates the drainage basin area of the Baltic Sea.

**Appendix 10: Report of the BALTEX WG Radar**

BSSG Nov. 12-14, 2001

**STATUS REPORT OF THE BALTEX WORKING GROUP ON RADAR (WGR)****Jarmo Koistinen**

Detailed description of the ongoing work and plans can be found from the Minutes of the 6<sup>th</sup> Meeting of the WGR (attached)

Sten Bergström will present the status report of BRDC on behalf of Daniel Michelson

**Precipitation atlas:**

WGR will publish a radar-gauge integrated precipitation image atlas from the BRIDGE period on CD-ROMs. The objective is to facilitate fast scanning of various weather cases.

**The network:**

Radar Ängelholm in Scania is included.

The Latvian radar has been delayed at least one year.

Tallinn radar is still not included due to technical problems in the system.

FMI will help to adjust the radar.

Russia has joined to RMDCN-network and one radar in StPetersburg has been digitised. Preliminary comparison between the radar and the adjacent Finnish radar exhibits a good agreement (see the image pair). We hope to get the data from StPetersburg soon to BALTEX.

WGR is worried on the organisation of the implementation of the new Polish radar network: we have not been able to locate any responsible group or plan of the implementation and data flow. Thus, we can't foresee yet how and when the new network will produce data for BALTEX. The existing data transfer is semi- manual and the radar experts providing it are not involved in the development of the new network.

**Ongoing research:**

**The EU Framework 5 Application CARPE DIEM (2002-2004) will be conducted by the Partners SMHI and FMI. Topic: improvement of quantitative radar based precipitation estimates applying NWP data and assimilation of Doppler winds into NWP.**

**NORDRAD Quality Assurance project has proven that intercomparison of the data from overlapping radars can solve elevation angle errors of  $\pm 0.1$  degrees and system calibration errors of 0.5 dB. Preliminary results presented in the AMS Radar Conference.**

**DEKLIM (Gerhard Peters): A good agreement between a vertically pointing 30 Ghz radar and an ordinary scanning weather radar. Potential applications in radar calibration monitoring and vertical distribution of the hydrometeors.**

**HIRLAM community: A good agreement with the BALTRAD product RR and HIRLAM precipitation (Carl Fortelius, shown in the Study Conference). BALTRAD products are very useful in the validation of NWP precipitation processes. Together with COST 717, the methods on the use of Doppler winds in NWP assimilation are becoming established. The Doppler winds are accurate and good but a proper quality control is always needed (to avoid e.g. birds and aliasing due to the Doppler dilemma).**

**COST 717 (additional): The validation of the RR product has shown systematic differences both in the bias and random errors between two BALTEX radar systems . The gauge adjustment applied will remove the biases (shown in the Study Conference by Koistinen and Michelson). A radar reflectivity simulator has been implemented to the FMI HIRLAM (by Gunter Haase, Univ, of Bonn). Work at the Finnish Environmental Institute has shown that a hydrological model for a moderate sized catchment in western Finland, based earlier on gauge data only, can be replaced with radar data only. The verification shows on average equal flow with both inputs.**

**National research is quite active at FMI, SMHI and DWD to improve the accuracy of real time operational precipitation measurements . A good example is the pattern recognition technique developed at FMI to remove non meteorological echoes (birds, sea clutter, ships, the sun) from the measurements (see the images). Much of this work is expected to be implemented in the BRDC product generation in near future.**

**The next WGR meeting will be held in May 2002, probably in StPetersburg.**

**Appendix 12: Minutes of the 6<sup>th</sup> meeting of the BALTEX WG Radar**Minutes of the 6th Meeting of the BALTEX Working Group on Radar

DNMI

Oslo, Norway

28-29 May, 2001

1. Practical and administrative arrangements  
-----

Jarmo opened the meeting. Participating were Jarmo Koistinen, Chris Collier, Johann Riedl, Uta Gjertsen, and Daniel Michelson.

The group was joined by Oddbjørn Thoresen, Morten Salomonsen and Jørgen Togstad, DNMI, following the administrative parts of the meeting. Daniel wrote the minutes.

The group decided that Tage Andersson will remain a WGR member for as long as he likes.

Johann has new phone, fax and e-mail:

Phone: +49 8805 954-200

Fax: +49 8805 954-102

E-mail: Johann.Riedl@dwd.de

Zdzislaw Dziewit may be leaving the IMGW soon, which may put the data transfer from the IMGW to the BRDC at risk. This should be investigated.

2. Minutes of last meeting at Salford  
-----

Product atlases: Jarmo contacted Ehrhard Raschke about producing BALTRAD atlases. According to Ehrhard, the cost of producing paper atlases is prohibitively expensive but CD-ROM should be feasible. Harri Hohti at FMI can lead the production and Daniel can assist. We agreed on two CDs: one covering the period October 1, 1999 - June 30, 2001, and the second from July 1, 2001 – the end of the BRIDGE or GEWEX CEOP period.

3. Developments in the BALTRAD network and data exchange  
-----

BRDC - nothing new

Sweden - Daniel is now SMHI's radar coordinator. The 12th Swedish radar is now installed in the south west, north of the town of Ängelholm. It is the former Teolo radar with dual polarisation which will be evaluated in due course. The Swedish radars' host platforms are targeted for replacement and the communications lines will be upgraded. New Doppler functionality out to 240 km is being tested at Radar Hudiksvall. If evaluated positively, this functionality

will be phased into the Swedish radars. The host platforms are targeted for modernization, from VMS to UNIX or NT. Three radars are also targeted for relocation.

Norway - A new radar is being installed outside Trondheim which should be up and running in the summer of 2002. DNMI is conducting a site survey for a radar near Bergen with a possible start in 2003, although this radar is not yet financed. Initial problems with the transmitter cards have disappeared since October when they were changed last.

Denmark - A new radar has been installed about 50 km south of Kastrup. Data has not yet been added to the NORDRAD network.

Finland - Rovaniemi has been dismantled in August and Luosto was installed in the summer. Problems with the transmitter cards have prevented this radar from passing its tests, similarly to Hägebostad. Invers Oy is developing their signal processing techniques to work with this radar. No definite proof that this technique works has been presented yet but there is clear potential that it will; the principle has been proven on paper. FMI is working on trying to finance a gap filler, but without luck to date.

Estonia - Their Gematronik radar is semi-operational, and experiencing the same transmitter card failures as FMI and DNMI. EMHI is allied with FMI and DNMI to help get their operation up and running smoothly. FMI will be relaying Estonian data to NORDRAD and NORDRAD data to Estonia, provided NORDRAD helps fund a necessary upgrade of the communications lines between Helsinki and Tallinn.

Latvia - UK Met. Office will fund the travel of a LHMA expert to the AMS Radar Conference. LHMA has probably received funding for their first digital weather radar. FMI has supported the procurement process by sending a copy of their older ITT to the Director of LHMA (these information were received soon after the WGR meeting).

Lithuania - No money available for weather radar systems.

Poland - World Bank grant came through, but the organization of the project is unknown. Eight new radars are planned.

Germany - Nothing new regarding the network. DWD is now concentrating on modernizing the radar host platform with the same level of functionality, very similarly to the modernization going on in Sweden. The 16th and final radar is Dresden. Berlin is now running a digital receiver and new COHO, and this seems to be working well. Hamburg is targeted for relocation to a place outside the city. Quantitative clutter filters are being developed at DWD. There is a new national collaboration among regional authorities focused on fresh and wastewater management, in which quantitative precipitation forecasts are a central part. Convection in radar is also being studied based on a cell tracking algorithm developed by Peter Lang, called KONRAD. Johann showed some illustrations of these developments. Very limited ability to move ahead with dual polarization tests since Gematronik has changed pedestal to a much heavier one and they may now be willing to make dual polarization available through the old construction. This new design may affect DNMI since they cannot perform a helicopter installation with it. Eight bit data to the BRDC, which would be financed through the national DEKLIM programme, has been given the green light for financing but the project, led by Prof. Grassl, has been delayed due to lack of funds brought about by BSE and MKS campaigns. These activities will be lead by Jörg Seltmann.

Russia - Nothing new. Many organizations and little cooperation but with great knowledge.

NORDRAD2 ITT Release in June, 2001

The NORDRAD network will be upgraded with a new software system. A Nordic group has written an ITT which implies a new system that migrates from VMS and DECNet to UNIX and TCP/IP.

#### 4. BRDC status

-----  
Inclusion of more German radars: Would it be advantageous to include more radars from Germany? For the composite, yes. For the gauge adjusted product, no, probably because the derived relations used in the gauge adjustment process would deteriorate due to precipitation from different regimes. As it stands, the RR product contains data from perhaps too many radars from different precipitation regimes. The group recommended that this issue should be resolved through a dialogue with the BALTEX modelling community, and that the BALTRAD network should concentrate on the Baltic Sea catchment. The German VAD products would be a real enhancement to the network. However, the DWD is unwilling to make the product available in the DWD's in-house ASCII format; the profiles could be made available once DWD has developed a BUFR converter; this work is in progress. This issue should be discussed with Dieter Fruehwald and Gerhard Adrian. Daniel should investigate whether WP products can be arranged from Hägebostad, Oslo, Göteborg, southern Germany, and the Czech Republic.

Modification of the RR product: new preliminary adjustment coefficients have been derived by Uta and Daniel during the autumn of 2000 which should be included into BRDC production.

#### Other products

There was some discussion on whether to add a hail diagnosis product. The group concluded that little support from the users exists at present, but that we can inform them that we can work on such activities together with them outside of the BRDC production. Other changes to products were not recommended.

Use of HDF5 - was accepted. As of July 1, 2001, the BRDC datasets will be stored and distributed using HDF5. The NCSA's HDF5 software will be distributed on one of the first BRDC CD-ROMs.

SMHI RMK 90: Has been produced since our last meeting.

#### 5. Ongoing and planned research and papers

-----  
The EU Framework 5 Application CARPE DIEM (Critical assessment of Available Radar Precipitation Estimation techniques and Development of Innovative approaches for Environmental Management) has been accepted for negotiations with funding for 36 months. Radar research related to BALTEX will be conducted by the Partners SMHI and FMI including improvement of quantitative precipitation estimates (VPR corrections

applying NWP data, attenuation corrections) and assimilation of Doppler winds into NWP. The Coordinator will be Dr. Pier Paolo Alberoni from Italy.

#### NORDRAD QA

Jarmo presented this work which is being conducted by Asko Huuskonen at FMI. The results were presented at AMS RADCAL in January, 2001, and will be presented again at AMS-30. The QA interim report was copied and distributed to the group. The QA work shows genuine potential and should be an integral part of the NORDRAD network.

#### DEKLIM

Johann presented information from this new German national research programme. He showed a comparison between data from Gerhard Peters' (MPI) vertically pointing 30 GHz radar against that from a 5 GHz weather radar. The agreement was very good. This could be a nice means of monitoring the calibration stability of a radar, and to study the vertical reflectivity profile, but it is not applicable to a spatial correction of weather radar data.

#### HIRLAM validation

Jarmo showed results generated by Carl Fortelius where he used BALTRAD RR products to compare with HIRLAM forecasts. A monthly 24-hr average was compared and the area of interest was centred over Finland. These results show good agreement between the two data-sets, with realistic gradients in both. The results show that BALTRAD RR product is of high enough quality to be used in such a context, and as such, can show that the new moist physics used by Carl gives fine results. HIRLAM may overestimate and have overactive convection. BALTRAD precipitation may be overestimated over Finland due to poorly defined preliminary adjustment coefficients, which will be replaced shortly with better ones. The results will be presented at the BALTEX conference in Åland. Carl may write this up as a paper in the near future. Daniel has not implemented the dBZ thresholds agreed upon at Hohenpeissenberg when deriving the radar sums prior to generating the RR product.

#### Vertical reflectivity profile correction

Jarmo presented work being conducted at FMI for a Finnish hydroelectric company. As Elena Saltikoff showed at ERAD, the VPR dominated the errors in radar precipitation estimations. FMI will develop a conventional VPR correction. They are currently figuring out how to perform a time integration of profile corrections. There is also a precipitation typing built into the method. There's also a quality control of the derived profile to identify physically unrealistic profiles (the vertical gradient may not exceed 1 dB per 200 m in the first few levels).

#### Radar simulator using NWP data

Günther Haase from the Meteorological Institute, Bonn University, has visited FMI on a Short Term Scientific Mission from COST 717 to create a HIRLAM interface to his radar simulator. Very promising first results.

#### Evaluating the RR product

Daniel presented results produced by himself and Uta, the work from which started as a COST 717 Short Term Scientific Mission to SMHI in November, dealing with the evaluation of the BALTRAD gauge adjustment technique. Daniel continued with this work following the STSM and has analyzed the systematic differences among Gematronik (with both Sigmet

and Rainbow software) and Ericsson. Systematic differences were found which can be evened out using the preliminary adjustment technique presented in the RMK 90 report, with more accurate coefficients. The adjustment technique was shown to work well, even out to full range although the scatter at full range is rather large.

#### Dynamic Z-R relations (DZR)

This is a strategy to derive a more accurate phase typing and Z-R relation application, using HIRLAM forecast fields to provide the information on the height of the melting layer. Well-known Z/Ze-R/S relations are then applied when the phase is known. This is a pre-processing step prior to a VPR correction and it is difficult/impossible to evaluate without first performing the VPR correction. It was suggested that Iwan Holleman's recent report on hail detection could be used to refine the method used to diagnose and treat hail. At present the method proposed by Smyth & Illingworth (QJRMS vol. 124, 1998) is used. This work will hopefully be presented at BALTEX and AMS-30 conferences.

#### Down to Earth

Daniel continued by presenting this unconventional VPR correction strategy. The original strategy presented at ERAD was found to be at a dead end, so it has been reformulated using broken-out moist physics code from Rasch and Kristjansson, which is the same as that used by Carl Fortelius in his work described above. The problem in using this code is that, like all Kessler-type schemes, it is very sensitive to the cloud water input to it. The HIRLAM data available for this task is depleted of cloud water, and it suffers from some spin-up and timing errors. Initial experiments using cloud water derived through an empirical relation with non-precipitating clouds and correctional "fudge factors" failed, as did attempts to use "corrected" HIRLAM cloud water. Two strategies are now being tested:

- 1) a physically-based approach using a reconstruction of the adiabatic profile and the R&K physics, and
- 2) a statistical approach using a derived relation based on a large dataset of spun-up and internally consistent HIRLAM profiles. In the latter strategy, stepwise statistical relation and neural network approaches are being tested. No matter which strategy is used, it is designed to provide a precipitation estimate at the cloud base which is then evaporated to the surface using another set of routines.

This work is also targeted for presentation at BALTEX and AMS-30 conferences.

#### Hydrological modelling

Jarmo presented recent results from Finland where radar data from Ikaalinen was adjusted with a constant factor which gave excellent agreement with gauges for a moderate sized catchment in western Finland. This work will be presented at the BALTEX conference.

#### Dealiasing radial winds

Tomas Landelius at SMHI is presently working on developing/implementing a dealiasing technique which would be used prior to deriving wind profiles and superobservations for variational data assimilation. Preliminary results look promising here as well.

#### Additional quality control

Pattern recognition techniques using polar scan data are being developed at FMI by Markus Peura which show potential for cleaning up signals from ships, birds, sun sectors, and other noise. Problems may occur when dealing with young, rapidly developing Cbs, and with determining a set of thresholds which can be used confidently in an automatic application.

## 6. Upcoming meetings related to WGR

-----

3rd Study Conference on BALTEX. 2-6 July, 2001, Mariehamn. Daniel and Jarmo will present a joint invited talk.

7th Int'l Conf on Precip.: 2-6 July, 2001. Maine, USA. Chris will be attending. Should be lots of satellite work (TRMM, GPM).

AMS-30, 19-24 July, 2001, Munich: Neither Chris nor Jarmo will be attending. Johann hopes to attend. Daniel, Uta, and people from Salford and Hohenpeissenberg will attend.

Hydrological Uses of Radar Data: 19-23 November, 2001, Kyoto. Chris cannot attend. Salford may be represented by Faye Davis. Noone else from the WGR plans on going.

ERAD 2. 23-29 September, 2002, Delft.

ERAD 3 in 2004. Could be hosted by the WGR in a Nordic country, proximate to the Baltic Sea. One potential place is Visby on the island of Gotland. Daniel will try to communicate this at the next COST 717 meeting in September to get the group's feedback. Contact should be made with the EMS to see about nailing this down. Could the BALTEX Secretariat help us find European support? Perhaps a NORDMET collaboration? Daniel will start by discussing with SMHI. Then follows: BALTEX, COST 717 and then EMS.

Johann recommended that ERAD be renamed. To what? Possible name contest at next 717 meeting?

## 7. Next WGR meeting

-----

Time: 28-29 May, 2002

Place: Primary: St. Petersburg, Secondary: Poland, Tertiary: Norrköping

Daniel will discuss Poland's potential hosting of this meeting at the next 717 meeting with Jan Szturc.

## 8. Any other business

-----

Oddbjörn inquired about how to optimally site a radar to avoid sea clutter. Fences are a way but should optimally be located at a range of at least 100 m in order to operate on the fully developed beam. Images were presented that showed that the sea clutter from Hägebostad was minimized at 0.8 degree tilt. Smart scans which follow the horizon, and which can be programmed to lift to 0.8 degrees in contaminated sectors, were recommended combined with a high placement or on an island and with a fence integrated with the radar tower if a natural "bowl" location is not available.

About radar density, Oddbjörn asked what it should be. The group recommended that the density should be optimal from the outset and that the network should be established such that the radars be installed with this optimal spacing. If money runs out then it's easier to gain funding to continue with the same spacing, as opposed to first establishing a low density network and then trying to install gap fillers. Jarmo showed some images and plots illustrating the effects to be taking into account when defining this spacing. A spacing of 150-200 km is realistically as good as one can hope for. The bottom line is what the application is and what the budget is. Oddbjörn also showed cases where overhanging precipitation is not measured by the radar at close range. The group recognized that this is an inherent characteristic of how radars work. Gauges wouldn't have measured anything either, and satellites would have given a high indication of precipitation which, easily interpreted as reaching the surface, would have been the most erroneous measurement.

9. Jarmo closed the meeting.

---

## Appendix 13: BALTEX Meteorological Data Centre Materials



### BALTEX Meteorological Data Centre

Deutscher Wetterdienst

The **BALTEX Meteorological Data Centre** BMDC stores data in two different archives:

#### The **BAMAR (BALTEX Model Area)** archiv

**Synoptic** data from

**1700** stations with 3-hourly observations


**300** ships with 8 reports/day

**Aerological** data from

**90** stations with 1- 4 ascents/day.


#### The **BACAR (BALTEX Catchment Area)** archiv

<b>3200</b>	<b>Precipitation</b> (24- or 12-hourly totals)
<b>60</b>	<b>global Radiation</b>
<b>20</b>	<b>diffuse Radiation</b>
<b>8</b>	<b>reflected Radiation</b>
<b>490</b>	<b>Snow depth</b>
<b>245</b>	<b>Synop/Climate</b>
<b>95</b>	<b>Soil temperature</b>
<b>40</b>	<b>Soil moisture</b>
<b>3</b>	<b>Evaporation</b>

**BALTEX Meteorological Data Centre**


**Fig. 7** Number of Precipitation Stations in BACAR, as reported in June 2000

## BALTEX Meteorological Data Centre



**Fig. 9** Number of Radiation Stations in BACAR, as reported in June 2000




## BALTEX Meteorological Data Centre





### Global Precipitation Climatology Centre Deutscher Wetterdienst

Comparison GPCP-1DD versus BALTEX in situ  
Time-series of daily BALTEX area mean precipitation



## **BALTEX Meteorological Data Centre**

### **Status November 2001**

- analysed grib data in 1/6 degree
- Demands after analysed grib data in 1/2 degree

### **Request to the Data Users:**



- feedback to the data suppliers.
- data users have assured feedback in the Licence Agreement with the BMDC.
- It is easier for us to continue to receive data if the data users give feedback.  
This is absolutely vital for the extension of the data into long-time series.

For further information: Report No. 5 (October 2001)

[www.dwd.de/research/baltex/baltex.html](http://www.dwd.de/research/baltex/baltex.html)

**Appendix 14: Hydrography Survey Example during *BRIDGE***

**DISTRIBUTIONS OF SALINITY [PSU] IN THE STOLPE CHANNEL AND STOLPE SILL AREA**  
**IN NOVEMBER 1999 (figs. a, b) and JANUARY 2000 (figs. c, d)**  
 R.v. 'Oceania, Institute of Oceanology PAS, Sopot



## **Appendix 15: BALTEX projects funded in Germany**

DEKLIM Funding Programme (BMBF)

Project cluster **BASEWECS**

**„Influence of the Baltic Sea and the Sea-ice Annual Cycle on the Energy and Water Budget of the BALTEX Region“**

Co-ordination: W. Krauss, IfM Kiel, 3 projects, 1.2 Mill Euro

Project cluster **BALTIMOS**

**„Development and Validation of a Coupled Model System for the Baltic Sea Region“**

Co-ordination: D. Jacob, MPIfM, 8 projects, 2.3 Mill Euro

Project cluster **AREA PRECIPITATION**

**„More Accurate Measurements of Areal Precipitation over Land and Sea“**

Co-ordination: H. Graßl, MPIfM, 3 projects, 0.8 Mill Euro

Project cluster **EVA-GRIPS**

**„Regional Evaporation on Gridpoint/Pixel Scale over Heterogeneous Landsurfaces“**

Co-ordination: T. Mengelkamp, GKSS, 6 projects, 2.2 Mill Euro

**4 individual projects** on a) Snow modelling, b) Hydrological variability of the last 1000 years in the Baltic Sea environment, c) Variability of fresh water in the Polar Seas, d) Influence of C and N cycling on the terrestrial biosphere in the BALTEX region.

Co-ordinations at Uni Köln, IOW, AWI, MPIfM; 1.5 Mill Euro.

**Total: 20 projects, 7.9 Mill Euro funding**

Projects startet in 2001

Joint kick-off co-ordination meeting planned for early 2002

AFO2000 Funding Programme (BMBF)

**Project 4DWOLKEN**

**„Inhomogeneous clouds - their influence on exchange and transport processes in the atmosphere“**

Co-ordination: C. Simmer, Uni Bonn

Other projects with relevance to Water and Energy Cycles in the Baltic Sea Basin

Other BMBF Projects

**Project ODRAFLOOD**

**„A flood forecasting system for the Odra drainage basin“**

Co-ordination: T.Mengelkamp/W.Rosenthal, GKSS

Participation of Polish Institutions !

**International BALTEX Secretariat Publication Series**  
**ISSN 1681-6471**

- No. 1:** Minutes of First Meeting of the BALTEX Science Steering Group at GKSS Research Center in Geesthacht, Germany, 16-17 May, 1994. August 1994
- No. 2:** Baltic Sea Experiment BALTEX – Initial Implementation Plan. March 1995, 84 pages
- No. 3:** First Study Conference on BALTEX, Visby, Sweden, August 28 – September 1, 1995. Conference Proceedings. Editor: A. Omstedt, SMHI Norrköping, Sweden. August 1995, 190 pages
- No. 4:** Minutes of Second Meeting of the BALTEX Science Steering Group at Finnish Institute of Marine Research in Helsinki, Finland, 25-27 January, 1995. October 1995
- No. 5:** Minutes of Third Meeting of the BALTEX Science Steering Group at Strand Hotel in Visby, Sweden, September 2, 1995. March 1996
- No. 6:** BALTEX Radar Research – A Plan for Future Action. October 1996, 46 pages
- No. 7:** Minutes of Fourth Meeting of the BALTEX Science Steering Group at Institute of Oceanology PAS in Sopot, Poland, 3-5 June, 1996. February 1997
- No. 8:** *Hydrological, Oceanic and Atmospheric Experience from BALTEX*. Extended Abstracts of the XXII EGS Assembly, Vienna, Austria, 21-25 April, 1997. Editors: M. Alestalo and H.-J. Isemer. August 1997, 172 pages
- No. 9:** The Main BALTEX Experiment 1999-2001 – **BRIDGE**. Strategic Plan. October 1997, 78 pages
- No. 10:** Minutes of Fifth Meeting of the BALTEX Science Steering Group at Latvian Hydrometeorological Agency in Riga, Latvia, 14-16 April, 1997. January 1998
- No. 11:** Second Study Conference on BALTEX, Juliusruh, Island of Rügen, Germany, 25-29 May 1998. Conference Proceedings. Editors: E. Raschke and H.-J. Isemer. May 1998, 251 pages
- No. 12:** Minutes of 7<sup>th</sup> Meeting of the BALTEX Science Steering Group at Hotel Aquamaris in Juliusruh, Island of RÜGEN, Germany, 26 May 1998. November 1998
- No. 13:** Minutes of 6<sup>th</sup> Meeting of the BALTEX Science Steering Group at Danish Meteorological Institute in Copenhagen, Denmark, 2-4 March 1998. January 1999
- No. 14:** BALTEX – BASIS Data Report 1998. Editor: Jouko Launiainen, 96 pages. March 1999.
- No. 15:** Minutes of 8<sup>th</sup> Meeting of the Science Steering Group at Stockholm University in Stockholm, Sweden, 8-10 December 1998. May 1999

- No. 16:** Minutes of 9<sup>th</sup> Meeting of the BALTEX Science Steering Group at Finnish Meteorological Institute in Helsinki, Finland, 19-20 May 1999. July 1999
- No. 17:** Parameterization of surface fluxes, atmospheric planetary boundary layer and ocean mixed layer turbulence for BRIDGE – What can we learn from field experiments? Editor: Nils Gustafsson. April 2000
- No. 18:** Minutes of the 10<sup>th</sup> Meeting of the BALTEX Science Steering Group in Warsaw, Poland, 7-9 February 2000. April 2000
- No. 19:** BALTEX-BASIS: Final Report, Editors: Jouko Launiainen and Timo Vihma. May 2001
- No. 20:** Third Study Conference on BALTEX, Mariehamn, Island of Åland, Finland, 2-6 July 2001, Conference Proceedings. Editor: Jens Meywerk, 264 pages. July 2001
- No. 21:** 11<sup>th</sup> Meeting of the BALTEX Science Steering Group at Max-Planck-Institute for Meteorology in Hamburg, Germany, 13-14 November 2000. July 2001.
- No. 22:** Minutes of 12<sup>th</sup> Meeting of the BALTEX Science Steering Group held at Royal Netherlands Meteorological Institute (KNMI), De Bilt, The Netherlands, 12-14 November 2001. April 2002

Copies are available upon request from the International BALTEX Secretariat.